


GROUNDWATER LEVEL DATA FOR MISSOURI 1985-1986

by
Wayne R. Berkas,
Cynthia Endicott, and
Pierce W. Cross



Prepared by the
MISSOURI DEPARTMENT OF NATURAL RESOURCES
Division of Geology and Land Survey
in cooperation with the
U.S. GEOLOGICAL SURVEY

**GROUNDWATER LEVEL DATA
FOR MISSOURI
1985-1986**

by

Wayne R. Berkas
U.S. Geological Survey,

Cynthia Endicott
Missouri Department of Natural Resources
Division of Geology and Land Survey,

and

Pierce W. Cross
U.S. Geological Survey



Prepared by the
MISSOURI DEPARTMENT OF NATURAL RESOURCES
DIVISION OF GEOLOGY AND LAND SURVEY
in cooperation with the
U.S. GEOLOGICAL SURVEY

Library of Congress Card Catalog No. 89-060919
Missouri Classification No. MO/NR. Ge 9:37

Berkas, Wayne R., Endicott, Cynthia, and Cross, Pierce W., 1989, **GROUNDWATER LEVEL DATA FOR MISSOURI, 1985-1986**: Missouri Department of Natural Resources, Division of Geology and Land Survey, Water Resources Report No. 37, 83 p., 38 figs., 1 table.

CONTENTS

	Page
ABSTRACT	1
INTRODUCTION	1
GROUNDWATER LEVEL DATA	3
Map Number and Well Name	3
Well-identification Number	3
Locations	3
Owner	3
Formations Open to the Well	3
Well Characteristics	3
Instrumentation	3
Datum	3
Period of Processed Record	3
Remarks	3
REFERENCE CITED	5
DATA	7

ILLUSTRATIONS

	Page
Figure 1--General Land Office survey coordinate system	3
Figure 2--Groundwater monitoring wells	6

TABLES

	Page
Table 1--Generalized section of geologic units	4

**FACTORS FOR CONVERTING INCH-POUND UNITS TO
INTERNATIONAL SYSTEM (SI) UNITS**

Multiply inch-pound units	by	To obtain SI units
foot (ft)	0.3048	meter (m)
mile (mi)	1.609	kilometer (km)

ABSTRACT

Continuous water levels from 36 wells in Missouri were monitored during 1985 and 1986 by the Missouri Department of Natural

Resources, Division of Geology and Land Survey. Daily mean water levels are displayed in tables and also in hydrographs.

INTRODUCTION

Groundwater level monitoring is essential to managing groundwater aquifers. Fluctuations and long-term trends in groundwater levels vary in response to aquifer recharge and discharge. Recharge varies in response to precipitation and surface-water infiltration. Discharge varies in response to natural flow to springs and streams, flow to other aquifers, evapotranspiration, and well withdrawals.

Continuous groundwater levels have been recorded since 1955 by the Missouri Department of Natural Resources, Division of Geology and Land Survey (DGLS). The number and locations of wells represented by the water-level records have varied through the years to the 1986 number of 36. Some data from this network have been published in

regional groundwater studies, but most have never been published.

The purpose of this report is to publish the daily mean 1985 and 1986 groundwater level data. Daily maximum, minimum, and mean water levels as well as hourly water levels will be placed in a computer data base to provide easier access to the data. This report is intended to make water managers aware of the groundwater level network in Missouri and the availability of the data.

This report represents cooperation between DGLS and the U.S. Geological Survey. Data from the groundwater level network can be obtained upon request from the Missouri Department of Natural Resources, Division of Geology and Land Survey, P.O. Box 250, Rolla, Missouri 65401.

GROUNDWATER LEVEL DATA

Continuous water-level data for 1985 through 1986 are presented for 36 wells. Locations of the wells are shown in figure 2. Information about each well is presented alphabetically by county.

Map Number and Well Name


Map numbers designate the well locations in figure 2. Each number consists of a county code and a unique letter. Each well is assigned the name of the nearest town or the name of the owner.

Well-identification Number

The well-identification number is a 15-digit number used as an internal control in the computer files. Although the number is formed from the latitude and longitude of a point believed to represent the well location, the number is an identifier, not a locator.

Locations

Three types of locations are given. The first is in accordance with the General Land Office survey coordinate system (fig. 1). The township,



Well at

T. 32 N., R. 31 W., sec. 24 cco

Figure 1--General Land Office survey coordinate system

range, and section are followed by letters indicating quarter section, quarter-quarter section, and quarter-quarter-quarter section. Subdivisions of a section are designated letters a, b, c, and d, in counterclockwise order, starting in the northeast quarter. The second location type is latitude and longitude. The third is a written description of the well location.

Owner

The owner of the well is listed.

Formations Open to the Well

Geologic formations open to the well are listed. The generalized stratigraphic column for Missouri is shown in table 1, which is modified from Koenig (1961).

Well Characteristics

In each case, well characteristics of interest are the date of drilling, total depth, and casing information. If DGLS has a stratigraphic log of the well, the log number is listed.

Instrumentation

The most common type of well installation, a Stevens model A-35 strip-chart recorder, records water levels as continuous lines on a 10-inch-wide paper chart. The other type of installation, a Stevens model 7001 digital recorder, punches coded water levels on a paper tape at a specific time interval.

Datum

The land surface datum and the relation between the measuring point and the datum are listed.

Period of Processed Record

The period of processed record where daily maximum, minimum, and mean water levels are available also is the period for which unit values are available. Missing parts of the 1985 and 1986 period are explained.

Remarks

Other pertinent information about wells are noted here: for example, wells that yield saline water.

GROUNDWATER LEVEL DATA FOR MISSOURI

Table 1.--Generalized section of geologic units

[The stratigraphic nomenclature used in this report is that of the Missouri Department of Natural Resources, Division of Geology and Land Survey modified from Koenig (1961)]

SYSTEM	SERIES	GROUP	GEOLOGIC UNIT
Quaternary	Holocene		Alluvium
	Pleistocene		Loess, till and other drift, sand and gravel
Tertiary	(undifferentiated)		
Cretaceous	(undifferentiated)		
Pennsylvanian	(undifferentiated)		
Mississippian	Chesterian		(undifferentiated)
	Meramecian		(undifferentiated)
	Osagean		Keokuk Limestone Burlington Limestone Grand Falls Formation Reeds Spring Formation Pierson Formation
	Kinderhookian	Chouteau	Northview Formation Sedalia Formation Compton Formation
			Hannibal Formation
Devonian	(undifferentiated)		
Silurian	(undifferentiated)		
Ordovician	Cincinnatian		Orchard Creek Shale Thebes Sandstone Maquoketa Shale Cape Limestone
	Champlainian		Kimmswick Formation Decorah Formation Plattin Formation Rock Levee Formation Joachim Dolomite Dutchtown Formation St. Peter Sandstone Everton Formation
	Canadian		Smithville Formation Powell Dolomite Cotter Dolomite Swan Creek Member Jefferson City Dolomite Koubidoux Formation Gasconade Formation Gunter Sandstone Member
Cambrian	Upper Cambrian		Eminence Dolomite Potosi Dolomite
		Elvins	Derby-Doerun Dolomite Davis Dolomite
			Bonneterre Formation Lamotte Sandstone

REFERENCE CITED

- Koenig, J.W., ed., 1961, The Stratigraphic Succession in Missouri: Missouri Geological Survey and Water Resources, 2nd series, v. 40, 185 p.

GROUNDWATER LEVEL DATA FOR MISSOURI




Figure 2--Groundwater monitoring wells

DATA

Map number	County	Well name	Page
7A	Audrain	Scotts Corner	8
7B	Audrain	Vandalia	10
11A	Barton	Lamar	12
15A	Benton	Warsaw	14
23A	Butler	Poplar Bluff	16
27A	Callaway	Jefferson City	18
31A	Cape Girardeau	Delta	20
45A	Clark	Wayland	22
53A	Cooper	Arrow Rock	24
69A	Dunklin	Malden	26
71A	Franklin	St. Clair	28
71B	Franklin	Washington	30
79A	Grundy	Spickard	32
91A	Howell	West Plains 2	34
97A	Jasper	Atlas Powder	36
99A	Jefferson	DeSoto	38
113A	Lincoln	Troy	40
119A	McDonald	Longview	42
119B	McDonald	Noel	44
123A	Madison	Fredericktown	46
127A	Marion	Hannibal	48
133A	Mississippi	East Prairie	50
139A	Montgomery	New Florence	52
155A	Pemiscot	Steele	54
157A	Perry	National Lead	56
159A	Pettis	Sedalia	58
161A	Phelps	Industrial Park	60
161B	Phelps	Rolla	62
167A	Polk	Halfway	64
183A	St. Charles	O'Fallon	66
183B	St. Charles	Wentzville	68
185A	St. Clair	Osceola	70
201A	Scott	Sikeston	72
203A	Shannon	Akers	74
215A	Texas	Fairview	76
219A	Warren	Wright City	78

7A-Scotts Corner

COUNTY--Audrain

WELL IDENTIFICATION NUMBER--390950091384801

LOCATION--T.51N., R.7W., 25ccc, lat. 39°09'50", long. 91°38'48", in basement of Laddonia R-6 School, Scotts Corner, intersection of State Highway 54, State Highway 19, and County Road 8B.
 Owner: Laddonia R-6 School System

FORMATIONS OPEN TO THE WELL--Keokuk Limestone, Burlington Limestone, Chouteau Group, undifferentiated Devonian, Kimmewick Formation, Decorah Formation, Plattin Formation, Joachim Dolomite, and St. Peter Sandstone.

WELL CHARACTERISTICS--Total depth 650 feet, cased to unknown depth.

INSTRUMENTATION--Stevens model A-35 chart recorder, installed April 1, 1981.

DATUM--Elevation of land surface datum is 795 feet, from topographic map.
 Measuring point: Base of recorder platform, at land surface datum.

PERIOD OF PROCESSED RECORD--April 18, 1984, to present.

Missing record for 1985: Recorder malfunctioned for the period January 1 to June 26.

Missing record for 1986: Records not available after July 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	---	---	217.90	225.07	224.05	223.35	221.64	220.62
2	---	---	---	---	---	---	217.93	225.15	224.06	223.32	221.84	221.07
3	---	---	---	---	---	---	218.12	225.16	224.02	223.11	221.88	221.14
4	---	---	---	---	---	---	218.25	225.08	223.98	222.98	221.94	220.97
5	---	---	---	---	---	---	218.44	224.96	223.90	223.10	221.90	220.92
6	---	---	---	---	---	---	218.72	224.87	223.87	222.98	221.67	221.02
7	---	---	---	---	---	---	219.08	224.85	224.06	222.82	221.72	220.81
8	---	---	---	---	---	---	219.46	224.81	224.40	222.60	221.69	220.62
9	---	---	---	---	---	---	219.64	224.70	224.16	222.97	221.53	220.72
10	---	---	---	---	---	---	219.97	224.70	224.14	222.94	221.68	220.69
11	---	---	---	---	---	---	220.29	224.78	224.26	222.81	221.84	220.65
12	---	---	---	---	---	---	220.63	224.92	224.20	222.63	221.67	220.62
13	---	---	---	---	---	---	220.89	224.99	224.24	222.62	221.56	220.62
14	---	---	---	---	---	---	221.13	224.73	224.28	222.54	221.68	220.66
15	---	---	---	---	---	---	221.41	224.60	224.11	222.65	221.60	220.50
16	---	---	---	---	---	---	221.73	224.57	223.93	222.75	221.44	220.50
17	---	---	---	---	---	---	221.90	224.52	223.78	222.72	221.43	220.48
18	---	---	---	---	---	---	222.18	224.52	223.72	222.62	221.26	220.80
19	---	---	---	---	---	---	222.36	224.57	223.78	222.59	221.27	220.61
20	---	---	---	---	---	---	222.97	224.55	223.79	222.54	221.69	220.49
21	---	---	---	---	---	---	223.48	224.49	223.70	222.50	221.56	220.44
22	---	---	---	---	---	---	223.78	224.35	223.50	222.43	221.30	219.98
23	---	---	---	---	---	---	223.69	224.29	223.34	222.28	221.28	219.86
24	---	---	---	---	---	---	223.59	224.22	224.01	222.33	221.35	220.01
25	---	---	---	---	---	---	223.57	224.19	223.65	222.31	221.12	220.25
26	---	---	---	---	---	---	223.70	224.35	223.54	222.33	220.97	219.75
27	---	---	---	---	---	---	217.97	223.90	223.53	222.29	221.09	219.93
28	---	---	---	---	---	---	217.94	224.16	224.47	223.46	222.31	220.99
29	---	---	---	---	---	---	217.88	224.53	224.31	223.37	222.18	220.98
30	---	---	---	---	---	---	217.87	224.79	224.14	223.26	222.09	220.90
31	---	---	---	---	---	---	224.90	224.11	---	221.80	---	219.77

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	219.86	218.97	218.09	217.32	216.99	216.18	216.41	---	---	---	---	---
2	219.66	218.96	217.77	217.31	217.16	216.25	216.56	---	---	---	---	---
3	219.88	218.78	217.94	217.15	217.12	215.88	216.63	---	---	---	---	---
4	219.75	218.51	217.99	217.17	216.83	215.93	216.75	---	---	---	---	---
5	219.87	218.61	217.77	217.21	216.58	215.97	217.04	---	---	---	---	---
6	219.69	218.66	217.86	217.21	216.66	215.92	217.31	---	---	---	---	---
7	220.06	218.63	218.06	217.17	216.74	215.82	---	---	---	---	---	---
8	220.22	218.80	217.85	217.28	216.76	215.85	---	---	---	---	---	---
9	219.92	218.83	217.45	217.37	216.78	215.91	---	---	---	---	---	---
10	219.76	218.80	217.43	217.30	216.75	215.84	---	---	---	---	---	---
11	219.65	218.79	217.69	217.19	216.62	215.76	---	---	---	---	---	---
12	219.54	218.85	217.42	217.11	216.57	215.79	---	---	---	---	---	---
13	219.65	218.81	217.46	217.08	216.55	215.88	---	---	---	---	---	---
14	219.45	218.50	217.57	216.97	216.58	215.84	---	---	---	---	---	---
15	219.60	218.57	217.68	217.15	216.48	215.87	---	---	---	---	---	---
16	219.46	218.15	217.72	217.29	216.59	215.82	---	---	---	---	---	---
17	219.44	218.03	217.62	217.31	216.38	215.99	---	---	---	---	---	---
18	219.33	218.01	217.24	217.22	216.39	216.09	---	---	---	---	---	---
19	219.25	218.04	217.46	217.21	216.48	216.11	---	---	---	---	---	---
20	219.15	218.06	217.92	216.99	216.54	216.19	---	---	---	---	---	---
21	218.96	218.30	217.99	217.06	216.47	216.24	---	---	---	---	---	---
22	219.38	218.22	217.75	217.24	216.34	216.29	---	---	---	---	---	---
23	219.52	218.06	217.69	217.17	216.33	216.29	---	---	---	---	---	---
24	219.25	218.17	217.74	217.06	216.40	216.30	---	---	---	---	---	---
25	219.17	218.12	217.55	216.99	216.33	216.13	---	---	---	---	---	---
26	219.15	217.75	217.62	216.95	216.23	216.14	---	---	---	---	---	---
27	219.23	217.94	217.73	216.84	216.22	216.19	---	---	---	---	---	---
28	218.93	218.21	217.49	216.77	216.31	216.20	---	---	---	---	---	---
29	218.98	---	217.32	216.92	216.30	216.18	---	---	---	---	---	---
30	219.25	---	217.29	216.83	216.26	216.29	---	---	---	---	---	---
31	219.10	---	217.26	---	216.21	---	---	---	---	---	---	---




Figure 3.--Water level in observation well 7A, Scotts Corner, Audrain County.

7b-Vandalia

COUNTY--Audrain

WELL IDENTIFICATION NUMBER--391825091285001

LOCATION--T.52N., R.5W., Sddd, lat. 39°18'25", long. 91°28'50", west of intersection of Highland Street and Walsh Boulevard in Vandalia, well number 3.
Owner: City of Vandalia

FORMATIONS OPEN TO THE WELL--Kimmiswick Formation, Decorah Formation, Plattin Formation, Joachim Formation, and St. Peter Sandstone.

WELL CHARACTERISTICS--Drilled January 1, 1939, total depth 700 feet, 425 feet of 10-inch casing, open hole.
DGLS Log Number: 5,230

INSTRUMENTATION--Stevens model A-35 chart recorder.

DATUM--Elevation of land-surface datum is 765 feet, from topographic map.
Measuring point: Base of recorder platform, 1.6 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--June 17, 1970, to present.
Missing record for 1986: Recorder malfunctioned for the period December 1 to December 31.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	209.10	209.26	208.84	208.74	208.18	208.02	208.19	208.13	208.03	208.97	208.51	208.62
2	209.41	209.29	209.06	208.60	208.33	207.98	208.12	208.17	208.10	208.94	208.77	209.11
3	209.32	209.39	208.76	208.44	208.41	208.11	208.08	208.10	208.02	208.79	208.89	209.08
4	209.04	209.28	208.60	208.15	208.27	208.10	207.96	208.00	207.98	208.72	209.00	208.91
5	209.15	208.98	209.20	208.24	208.14	208.13	207.96	207.94	207.94	208.90	208.91	208.93
6	208.92	209.10	209.29	208.56	208.22	208.12	208.10	207.92	208.02	208.85	208.72	209.03
7	209.00	209.41	208.94	208.79	208.24	208.08	208.15	207.95	208.16	208.75	208.86	208.84
8	209.21	209.39	209.10	208.91	208.30	208.00	208.11	207.98	208.16	208.80	208.85	208.80
9	209.19	209.16	209.19	208.88	208.24	208.02	208.01	207.92	208.14	208.97	208.70	208.88
10	209.16	209.01	208.97	208.65	208.11	208.06	208.04	208.00	208.25	208.97	208.93	208.87
11	209.43	209.01	208.66	208.67	207.90	207.99	208.04	208.05	208.38	208.88	209.09	208.84
12	209.45	209.10	209.02	208.70	207.96	208.11	208.05	207.91	208.45	208.76	208.93	208.84
13	208.99	209.10	208.92	208.61	208.03	208.15	208.03	207.96	208.59	208.84	208.87	208.88
14	209.00	209.12	209.04	208.45	207.91	208.04	208.05	207.95	208.64	208.80	209.04	208.89
15	209.19	209.10	209.10	208.38	208.05	207.94	208.11	207.94	208.53	208.93	208.94	208.82
16	208.94	208.92	208.97	208.51	208.02	207.96	208.21	207.95	208.36	209.06	208.87	208.82
17	208.80	209.22	209.01	208.50	208.07	207.97	208.22	207.94	208.25	209.06	208.90	208.83
18	208.67	209.26	208.95	208.43	208.06	208.00	208.17	208.02	208.38	208.99	208.76	209.12
19	209.00	209.23	208.83	208.17	208.03	208.06	208.17	208.06	208.64	209.02	208.83	208.89
20	209.30	209.10	208.91	208.34	208.05	208.01	208.16	208.10	208.77	209.03	209.26	208.93
21	209.19	208.97	208.85	208.34	208.16	207.92	208.07	208.10	208.72	209.01	209.11	208.82
22	209.20	208.95	208.69	208.23	208.18	208.03	208.07	208.03	208.58	208.94	208.95	208.48
23	208.97	208.85	208.66	208.17	208.20	208.09	208.11	207.97	208.56	208.81	208.96	208.39
24	208.79	209.03	208.75	208.30	208.15	208.11	208.00	207.95	208.80	208.96	209.07	208.71
25	209.08	209.14	208.99	208.31	208.07	208.07	208.00	208.01	208.66	209.12	208.81	208.84
26	209.20	209.10	208.81	208.25	207.95	208.03	208.13	208.14	208.68	208.99	208.73	208.39
27	208.98	209.33	208.47	208.30	207.97	208.08	208.18	208.28	208.74	209.04	208.82	208.69
28	209.07	209.12	208.33	208.44	208.10	208.15	208.12	208.25	208.83	209.06	208.83	208.67
29	209.02	---	208.61	208.42	208.01	208.16	208.14	208.11	208.79	208.96	208.88	208.69
30	208.99	---	208.55	208.26	207.85	208.18	208.09	208.00	208.84	208.86	208.77	208.48
31	209.20	---	208.41	---	207.92	---	208.01	208.00	---	208.58	---	208.65

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	208.64	208.58	208.31	208.08	207.91	207.59	207.50	207.40	207.82	207.89	208.33	---
2	208.42	208.61	208.09	208.91	208.08	207.75	207.58	207.42	207.77	207.87	208.32	---
3	208.65	208.34	208.29	207.86	208.06	207.74	207.67	207.50	207.77	207.91	208.51	---
4	208.62	208.20	208.29	207.90	207.81	207.66	207.55	207.58	207.72	207.76	208.45	---
5	208.71	208.41	208.08	207.95	207.58	207.61	207.53	207.51	207.74	207.79	208.24	---
6	208.75	208.32	208.21	208.00	207.61	207.57	207.63	207.38	207.82	207.99	208.20	---
7	209.16	208.49	208.43	207.91	207.69	207.51	207.72	207.35	207.91	208.13	208.12	---
8	209.15	208.63	208.21	208.00	207.72	207.62	207.66	207.34	208.00	208.11	208.17	---
9	208.81	208.72	207.86	208.05	207.75	207.66	207.53	207.37	208.00	208.00	208.07	---
10	208.80	208.65	207.87	207.94	207.74	207.60	207.47	207.34	207.85	208.08	208.21	---
11	208.63	208.69	208.10	207.79	207.69	207.53	207.38	207.44	207.69	208.21	208.51	---
12	208.70	208.76	207.82	207.76	207.68	207.65	207.32	207.57	207.59	208.05	208.42	---
13	208.69	208.52	207.91	207.78	207.63	207.80	207.43	207.55	207.88	207.95	208.44	---
14	208.64	208.46	208.01	207.69	207.65	207.74	207.56	207.43	208.02	208.09	208.65	---
15	208.68	208.38	208.14	207.85	207.57	207.65	207.53	207.37	208.02	208.03	208.78	---
16	208.57	208.06	208.21	207.98	207.70	207.71	207.51	207.36	207.95	208.12	208.40	---
17	208.57	208.09	208.12	207.97	207.53	207.89	207.52	207.37	208.07	208.18	208.14	---
18	208.50	208.04	207.73	207.88	207.66	207.84	207.53	207.49	207.95	208.14	208.03	---
19	208.51	208.18	208.02	207.92	207.75	207.74	207.46	207.56	207.90	208.29	208.03	---
20	208.41	208.19	208.49	207.65	207.80	207.77	207.45	207.55	207.92	208.37	208.18	---
21	208.35	208.44	208.54	207.79	207.72	207.76	207.50	207.57	207.99	208.36	208.09	---
22	208.84	208.37	208.31	207.97	207.62	207.73	207.54	207.65	208.02	208.30	208.12	---
23	208.83	208.25	208.37	207.90	207.63	207.74	207.58	207.60	207.95	208.24	208.23	---
24	208.55	208.38	208.37	207.80	207.73	207.76	207.50	207.60	207.83	208.18	208.05	---
25	208.63	208.28	208.15	207.71	207.73	207.79	207.36	207.63	207.74	208.19	208.19	---
26	208.72	207.90	208.26	207.71	207.66	207.72	207.36	207.56	207.76	208.10	208.34	---
27	208.68	208.16	208.36	207.64	207.67	207.66	207.34	207.56	207.90	207.88	208.09	---
28	208.32	208.43	208.16	207.64	207.72	207.62	207.28	207.70	207.89	208.02	208.13	---
29	208.70	---	208.02	207.76	207.75	207.61	207.34	207.89	207.93	208.12	208.33	---
30	208.76	---	208.04	207.67	207.71	207.51	207.33	207.86	207.87	208.18	208.26	---
31	208.59	---	208.02	---	207.64	---	207.25	207.84	---	208.34	---	---




Figure 4.—Water level in observation well 7B, Vandalia, Audrain County.

COUNTY--Barton

WELL IDENTIFICATION NUMBER--373115094161501

LOCATION--T.32N., R.30W., 30abb, lat. 37°31'15", long. 94°16'15", Lamar Water and Light, well number 2.
 Owner: City of Lamar

FORMATIONS OPEN TO THE WELL--Cotter Dolomite, Jefferson City Dolomite, Roubidoux Formation, and Gasconade Formation.

WELL CHARACTERISTICS--Unused municipal well, drilled April 1, 1954, total depth 981 feet, 575 feet of 8-inch casing, open hole.

INSTRUMENTATION--Stevens model A-35 chart recorder, installed June 17, 1968.

DATUM--Elevation of land-surface datum is 975 feet, from topographic map.
 Measuring point: Base of recorder platform, 2.3 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--June 17, 1968, to present.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	278.81	277.46	276.22	275.22	274.32	273.69	272.36	299.52	287.69	283.48	278.87	277.33
2	278.96	277.44	276.25	275.34	274.49	273.74	272.32	300.69	287.33	282.81	278.97	277.67
3	278.83	277.41	275.85	275.10	274.84	273.64	272.25	301.42	286.84	282.40	278.94	277.50
4	278.56	277.20	275.95	274.69	274.80	273.30	272.42	302.22	286.50	282.27	279.12	277.38
5	278.60	276.89	276.44	274.73	274.52	273.21	273.39	302.56	286.31	282.16	278.98	277.43
6	278.28	276.93	276.38	274.94	274.47	273.39	274.55	301.88	286.45	281.77	278.68	277.33
7	278.74	277.17	276.33	275.11	274.44	273.43	275.77	301.00	286.48	281.45	278.74	277.09
8	279.06	276.99	276.52	275.22	274.47	273.56	277.18	300.03	286.23	281.34	278.54	277.05
9	278.63	276.67	276.47	275.04	274.44	273.56	278.44	299.34	286.24	281.37	278.32	277.03
10	278.61	276.63	276.06	274.72	274.31	273.59	279.70	298.96	286.28	281.23	278.50	277.08
11	278.81	276.82	275.82	274.70	274.09	273.58	281.07	298.94	286.40	280.96	278.43	277.04
12	278.78	276.85	276.06	274.73	274.22	273.73	282.57	299.24	287.00	280.68	278.38	277.01
13	278.26	277.07	275.92	274.69	274.11	273.69	284.26	299.45	287.67	280.55	278.06	277.11
14	278.23	277.23	276.06	274.57	274.11	273.52	285.96	299.24	287.86	280.42	278.42	277.09
15	278.13	277.00	276.05	274.52	274.30	273.46	287.82	298.69	287.54	280.42	278.49	276.97
16	277.86	276.69	275.87	274.71	274.28	273.41	289.49	297.90	287.05	280.35	278.42	276.94
17	277.77	276.80	275.85	274.71	274.22	273.42	290.99	297.07	286.56	280.21	278.51	276.91
18	277.68	276.85	275.76	274.64	274.16	273.49	292.39	296.27	286.33	280.06	278.75	277.17
19	277.81	276.80	275.68	274.53	274.08	273.52	293.67	295.48	286.05	279.97	278.73	277.03
20	278.08	276.61	275.66	274.48	274.06	273.31	294.59	294.83	285.71	279.82	278.27	276.87
21	278.01	276.44	275.59	274.50	274.13	272.88	295.53	294.09	285.26	279.63	277.98	276.66
22	278.03	276.32	275.47	274.39	274.09	272.84	296.42	293.24	284.77	279.49	277.86	276.32
23	277.78	276.11	275.45	274.45	273.79	272.76	297.26	292.45	284.61	279.33	277.79	276.19
24	277.62	276.44	275.41	274.61	273.65	272.69	297.93	291.81	284.43	279.50	277.74	276.37
25	277.81	276.53	275.55	274.51	273.74	272.56	298.85	291.30	283.97	279.58	277.55	276.53
26	277.73	276.44	275.41	274.43	273.99	272.45	299.25	290.81	283.79	279.49	277.54	276.11
27	277.44	276.71	275.08	274.55	274.07	272.53	298.71	290.33	283.49	279.56	277.60	276.32
28	277.43	276.45	274.88	274.65	273.96	272.50	297.90	289.81	283.29	279.49	277.54	276.22
29	277.25	---	274.95	274.57	273.80	272.44	297.45	289.13	283.56	279.37	277.45	276.18
30	277.22	---	274.84	274.36	273.93	272.39	297.40	288.57	283.57	279.21	277.29	275.92
31	277.46	---	274.89	---	273.72	---	298.27	288.08	---	278.89	---	276.07

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	276.03	274.98	274.63	273.87	273.38	273.16	274.26	307.88	304.33	286.89	280.98	277.95
2	275.80	274.95	274.47	273.76	273.51	273.10	274.47	308.24	303.71	286.55	280.91	278.04
3	275.93	274.70	274.66	273.75	273.43	273.08	274.62	307.25	303.23	286.30	280.99	278.23
4	275.94	274.61	275.06	273.79	273.16	273.02	275.01	305.80	303.53	286.12	282.07	278.32
5	276.00	274.87	275.04	273.84	272.93	272.91	275.62	304.62	304.38	285.98	281.33	278.46
6	275.76	274.82	274.91	273.77	272.98	272.84	276.67	303.83	304.88	285.75	281.03	278.29
7	276.21	275.01	274.88	273.61	273.06	272.77	278.09	303.66	304.72	285.42	280.71	277.95
8	276.33	275.09	274.55	273.65	273.11	272.72	279.42	304.49	304.21	285.13	280.60	277.82
9	276.10	275.10	274.19	273.72	273.19	272.68	280.88	304.49	303.95	284.95	280.68	277.92
10	276.03	275.03	274.31	273.61	273.21	272.63	282.34	304.50	303.64	284.65	280.43	277.97
11	275.86	275.07	274.22	273.47	273.25	272.53	283.57	304.64	303.04	284.18	280.36	277.73
12	275.86	275.13	273.92	273.54	273.40	272.59	284.42	304.62	301.32	284.07	280.38	277.87
13	275.80	274.90	274.18	273.46	273.50	272.66	285.55	304.55	299.83	283.80	280.44	277.81
14	275.69	274.83	274.19	273.59	273.80	272.56	286.62	305.20	298.53	283.53	280.00	277.61
15	275.68	274.73	274.21	273.66	274.13	272.39	287.36	305.72	297.31	283.46	279.59	277.56
16	275.54	274.36	274.21	273.69	274.33	272.43	288.28	305.41	296.30	283.23	279.35	277.44
17	275.60	274.45	274.01	273.55	274.31	272.57	289.44	304.96	295.16	282.99	279.20	277.32
18	275.53	274.40	273.71	273.84	274.37	272.59	290.78	304.53	294.31	282.88	279.34	277.30
19	275.46	274.50	274.15	274.02	274.87	272.75	292.14	304.05	293.61	282.80	279.10	277.29
20	275.29	274.54	274.47	273.58	275.25	273.12	293.61	303.56	292.96	282.68	279.12	277.29
21	275.26	274.77	274.45	273.68	274.73	273.50	294.94	303.49	292.26	282.44	279.07	277.18
22	275.72	274.70	274.23	273.70	274.40	273.61	295.90	303.78	291.57	282.11	278.76	277.17
23	275.62	274.53	274.22	273.51	274.32	273.85	296.66	304.82	290.74	281.94	278.89	276.95
24	275.28	274.67	274.18	273.43	274.32	273.97	297.56	305.89	290.04	281.81	278.90	276.76
25	275.35	274.52	274.06	273.44	274.23	274.01	298.67	306.31	289.70	281.53	278.50	276.80
26	275.38	274.33	274.15	273.49	274.08	274.03	299.85	306.44	289.30	281.44	278.64	276.90
27	275.30	274.55	274.18	273.27	273.84	274.06	301.09	306.51	288.85	281.36	278.69	276.86
28	274.84	274.86	273.98	273.32	273.66	274.07	302.67	306.55	288.42	281.24	278.54	276.79
29	275.15	---	273.83	273.24	273.58	274.11	304.02	306.25	287.93	281.20	278.36	276.67
30	275.17	---	273.81	273.15	273.46	274.13	305.00	305.73	287.43	281.08	278.11	276.65
31	274.96	---	273.76	---	273.32	---	306.32	305.06	---	280.90	---	276.52





Figure 5.--Water level in observation well 11A, Lamar, Barton County.

15A-Warsaw

COUNTY--Benton

WELL IDENTIFICATION NUMBER--381650093215001

LOCATION--T.40N., R.22W., 4bad, lat. 38°16'50" long. 93°21'50", approximately 2 miles north of the intersection of State Highways 65 and 7, on State Highway 65.
 Owner: U.S. Army, Corps of Engineers.

FORMATIONS OPEN TO THE WELL--Gasconade Formation, Gunter Sandstone Member of Gasconade Formation, Eminence Dolomite, Potosi Sandstone Dolomite, Derby-Doerun Dolomite, Davis Dolomite, Bonnetterre Formation, and Lamotte Sandstone.

WELL CHARACTERISTICS--Drilled September 20, 1955, total depth, 1,406 feet, 210 feet of 12-inch casing, open hole.
 DGLS Log Number: 14,232

INSTRUMENTATION--Stevens model A-35 chart recorder, installed July 20, 1979.

DATUM--Elevation of land-surface datum is 740 feet, from topographic map.
 Measuring point: Base of recorder platform, at land-surface datum.

PERIOD OF PROCESSED RECORD--July 20, 1979, to present.
 Missing record for 1986: Recorder malfunctioned for the period February 6 to 11.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	32.31	31.79	28.77	26.82	29.46	30.36	28.55	30.90	31.45	33.05	31.74	28.51
2	32.21	31.87	28.58	26.73	29.65	30.35	28.61	31.14	31.57	32.95	31.96	28.72
3	31.86	31.90	27.96	26.61	29.83	30.46	28.66	31.10	31.54	32.79	32.03	28.47
4	31.46	31.69	28.05	26.48	29.77	30.34	28.70	31.05	31.56	32.78	32.15	28.34
5	31.37	31.55	28.14	26.74	29.78	30.24	28.85	31.02	31.58	32.94	32.27	28.40
6	31.01	31.77	27.85	27.12	29.97	30.05	29.11	31.05	31.70	32.80	32.42	28.41
7	31.00	32.01	27.44	27.43	29.98	29.90	29.31	31.13	31.88	32.70	32.28	28.26
8	30.97	31.86	27.43	27.60	30.05	29.63	29.46	31.17	31.94	32.78	32.27	28.34
9	30.75	31.66	27.33	27.57	30.04	29.51	29.54	31.16	31.98	32.95	32.42	28.37
10	30.77	31.69	26.94	27.43	29.95	29.37	29.76	31.30	32.07	32.97	32.24	28.40
11	31.00	31.82	26.62	27.56	29.78	29.22	29.88	31.36	32.21	32.89	32.04	28.36
12	30.91	31.87	26.75	27.65	29.95	29.18	30.01	31.30	32.28	32.81	32.17	28.20
13	30.47	31.88	26.55	27.63	29.95	29.01	30.16	31.40	32.43	32.82	32.25	28.26
14	30.57	31.91	26.57	27.55	29.90	28.78	30.30	31.44	32.54	32.76	32.08	28.17
15	30.59	31.76	26.49	27.55	30.07	28.66	30.50	31.46	32.49	32.81	31.82	28.15
16	30.46	31.78	26.35	27.76	30.09	28.61	30.66	31.46	32.36	32.80	31.62	28.16
17	30.41	31.96	26.34	27.81	30.11	28.55	30.14	31.51	32.27	32.71	31.36	28.28
18	30.46	31.98	26.22	27.84	30.09	28.43	29.65	31.59	32.43	32.58	30.93	28.49
19	30.85	31.83	26.13	27.86	30.09	28.33	29.88	31.60	32.90	32.54	30.72	28.30
20	31.13	31.67	26.17	28.01	30.16	28.15	29.96	31.64	33.25	32.46	30.68	28.46
21	31.16	31.49	26.13	28.15	30.30	28.02	29.97	31.62	33.14	32.35	30.11	28.30
22	31.22	31.26	26.05	28.14	30.34	28.14	30.05	31.53	32.96	32.19	29.77	28.21
23	31.07	30.88	26.13	28.32	30.42	28.17	30.14	31.42	32.96	32.03	29.56	28.29
24	31.10	30.70	26.28	28.61	30.40	28.18	30.14	31.40	33.17	32.12	29.37	28.71
25	31.55	30.19	26.48	28.71	30.34	28.15	30.24	31.41	33.00	32.22	28.98	28.75
26	31.52	29.93	26.37	28.82	30.28	28.12	30.44	31.43	33.01	32.09	28.87	28.61
27	31.43	29.69	26.18	29.07	30.35	28.26	30.51	31.48	32.98	32.11	28.79	28.94
28	31.54	29.10	26.25	29.33	30.46	28.32	30.53	31.47	33.01	32.12	28.74	28.92
29	31.47	---	26.56	29.40	30.40	28.37	30.61	31.36	32.96	32.05	28.64	29.03
30	31.57	---	26.49	29.36	30.23	28.44	30.63	31.34	33.00	32.01	28.44	28.95
31	31.78	---	26.54	---	30.33	---	30.71	31.36	---	31.80	---	29.29

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	29.31	30.68	31.09	31.08	31.33	30.67	31.94	33.28	34.09	33.13	26.04	28.37
2	29.33	30.59	30.98	30.89	31.46	30.80	32.07	33.35	34.08	32.43	26.06	28.50
3	29.55	30.25	31.17	30.82	31.40	30.82	32.07	33.49	34.07	31.46	25.90	28.75
4	29.81	30.18	31.18	30.83	31.15	30.79	32.00	33.48	34.14	31.08	25.89	28.90
5	29.81	30.16	31.00	30.88	30.99	30.79	32.04	33.40	34.17	30.49	25.90	28.90
6	29.96	---	31.10	30.84	31.04	30.77	32.20	33.40	34.29	29.90	25.97	28.82
7	30.39	---	31.20	30.71	31.12	30.81	32.28	33.46	34.42	29.22	25.94	28.70
8	30.38	---	30.93	30.80	31.16	30.90	32.25	33.53	34.35	28.69	26.16	28.67
9	30.19	---	30.67	30.75	31.24	30.90	32.20	33.54	34.20	28.37	26.54	28.87
10	30.26	---	30.82	30.55	31.29	30.90	32.19	33.60	34.08	27.85	26.58	29.00
11	30.18	---	30.83	30.39	31.29	30.91	32.15	33.74	34.15	27.37	26.66	28.85
12	30.37	30.76	30.60	30.39	31.28	31.08	32.18	33.74	34.39	27.15	26.94	29.08
13	30.25	30.49	30.78	30.28	31.26	31.23	32.34	33.74	34.47	26.78	27.10	29.15
14	30.37	30.69	30.82	30.44	31.25	31.22	32.36	33.72	34.42	26.55	26.84	29.02
15	30.33	30.52	30.91	30.63	31.16	31.18	32.35	33.69	34.40	26.44	26.77	29.03
16	30.35	30.32	30.93	30.70	31.21	31.27	32.35	33.71	34.44	26.21	26.86	29.03
17	30.38	30.45	30.74	30.67	31.06	31.45	32.41	33.82	34.32	26.09	26.97	29.09
18	30.38	30.45	30.47	30.66	31.07	31.45	32.47	33.90	34.29	26.07	27.38	29.21
19	30.37	30.61	30.92	30.81	31.00	31.43	32.50	33.88	34.30	26.03	27.37	29.25
20	30.21	30.75	31.27	30.64	30.85	31.52	32.61	33.90	34.41	25.94	27.70	29.46
21	30.45	30.97	31.28	30.86	30.64	31.57	32.72	33.99	34.40	25.86	27.80	29.71
22	30.80	30.94	31.11	31.05	30.42	31.64	32.80	33.97	34.31	25.70	27.76	29.74
23	30.63	30.82	31.21	31.01	30.42	31.71	32.82	33.98	34.09	25.69	28.12	29.63
24	30.48	30.99	31.15	30.96	30.48	31.79	32.76	33.98	34.00	25.62	28.28	29.60
25	30.62	30.86	31.04	30.94	30.46	31.83	32.79	33.96	34.03	25.52	28.13	29.79
26	30.75	30.70	31.20	30.97	30.43	31.86	32.97	34.00	34.00	25.60	28.40	29.97
27	30.53	30.98	31.20	30.92	30.45	31.87	33.02	34.11	33.93	25.71	28.53	30.04
28	30.39	31.21	31.06	31.03	30.51	31.89	32.97	34.23	33.86	25.72	28.53	30.03
29	30.80	---	30.98	31.11	30.61	31.90	33.01	34.16	33.72	25.87	28.50	29.98
30	30.68	---	31.00	31.09	30.64	31.90	33.01	34.13	33.47	25.84	28.49	30.04
31	30.57	---	30.98	---	30.66	---	33.15	34.12	---	25.84	---	30.01

COUNTY--Butler

WELL IDENTIFICATION NUMBER--363756090240401

LOCATION--T.23N., R.6E., 22aba, lat. 36°37'58", long. 90°24'04", 0.5 miles east of State Highway 142, 2 miles south of intersection of State Highways 142 and 158.

Owner: Unknown

FORMATIONS OPEN TO THE WELL--Alluvium

WELL CHARACTERISTICS--Unknown

INSTRUMENTATION--Stevens model A-35 chart recorder, installed July 30, 1975.

DATUM--Elevation of land-surface datum is 309 feet, from topographic map.

Measuring point: Base of recorder platform, 1.2 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--May 17, 1984, to present.

Missing record for 1985: Recorder clock stopped for the period February 2 to 5; recorder malfunctioned for the period June 12 to August 14.

Missing record for 1986: Recorder malfunctioned for the period March 19 to July 16 and September 21 to October 13.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	5.68	7.63	7.25	9.06	11.72	12.86	---	---	24.77	16.98	15.61	13.17
2	6.10	---	6.97	9.31	11.62	12.74	---	---	24.95	16.93	15.61	12.96
3	6.16	---	7.05	9.24	11.41	12.42	---	---	24.64	16.68	15.58	13.07
4	6.11	---	6.97	9.17	11.44	12.21	---	---	24.34	16.83	15.57	13.27
5	6.38	---	6.49	8.98	11.47	11.93	---	---	24.51	16.80	15.52	13.43
6	6.34	6.92	6.33	8.59	11.42	11.75	---	---	24.45	16.76	15.45	13.52
7	6.37	6.59	6.46	8.41	11.41	11.53	---	---	24.40	16.72	15.44	13.74
8	6.48	6.57	6.37	8.36	11.38	11.10	---	---	24.35	16.68	15.40	13.96
9	6.43	6.72	6.38	8.40	11.41	10.86	---	---	21.60	16.65	15.34	14.06
10	6.40	6.86	6.55	8.57	11.48	10.59	---	---	18.85	16.60	15.32	14.25
11	6.68	6.98	6.94	8.55	11.61	10.56	---	---	18.49	16.56	15.30	14.53
12	6.77	6.85	6.50	8.52	11.56	---	---	---	18.29	16.52	15.18	14.82
13	6.50	6.80	6.47	8.67	11.59	---	---	---	18.15	16.49	15.08	15.07
14	6.48	6.81	6.40	9.21	11.60	---	---	---	18.04	16.43	15.07	14.99
15	6.79	6.83	6.23	9.66	11.51	---	---	25.29	17.96	16.40	15.01	15.28
16	6.67	6.89	6.34	9.46	11.65	---	---	25.27	17.88	16.37	14.88	15.46
17	6.64	6.67	6.32	9.42	11.67	---	---	25.57	17.82	16.33	14.85	15.64
18	6.52	6.71	6.31	9.50	11.68	---	---	25.27	17.77	16.29	14.77	15.57
19	6.38	6.81	6.43	9.58	11.72	---	---	25.28	17.71	16.25	14.69	15.75
20	6.07	6.88	6.47	9.59	11.73	---	---	24.89	17.64	16.21	14.69	15.99
21	6.27	6.91	6.66	9.62	11.77	---	---	24.83	17.57	16.17	14.54	16.02
22	6.47	7.10	6.87	9.72	12.24	---	---	24.80	17.49	16.13	14.48	16.43
23	6.75	7.74	6.92	9.75	12.55	---	---	24.74	17.42	16.07	14.42	16.54
24	7.00	8.05	6.91	9.80	12.61	---	---	24.67	17.35	16.05	14.37	16.53
25	6.89	7.72	6.74	9.80	12.72	---	---	24.36	17.31	16.02	14.26	16.24
26	6.85	7.49	6.90	9.89	12.85	---	---	24.55	17.24	15.97	14.13	16.54
27	7.26	7.14	7.20	10.66	12.89	---	---	24.49	17.17	15.93	13.88	16.54
28	7.32	7.16	7.37	10.87	12.86	---	---	24.40	17.13	15.88	13.57	16.49
29	7.42	---	7.32	10.86	12.93	---	---	24.37	17.08	15.83	13.59	16.61
30	7.66	---	7.95	11.03	13.04	---	---	24.17	17.03	15.79	13.50	16.67
31	7.58	---	8.83	---	12.98	---	---	24.44	---	15.69	---	16.76

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	16.56	16.79	18.12	---	---	---	---	17.26	18.17	---	16.87	15.99
2	16.76	16.79	17.94	---	---	---	---	17.40	18.10	---	16.86	15.96
3	16.71	17.29	18.13	---	---	---	---	17.50	18.03	---	16.82	15.99
4	16.77	17.98	18.25	---	---	---	---	17.58	17.96	---	16.79	16.00
5	16.53	18.01	18.13	---	---	---	---	17.64	17.90	---	16.74	15.99
6	16.72	17.76	18.33	---	---	---	---	17.69	17.91	---	16.74	15.94
7	16.46	17.82	18.51	---	---	---	---	17.75	17.97	---	16.72	15.90
8	16.28	17.87	18.52	---	---	---	---	17.79	17.97	---	16.67	15.85
9	16.52	17.86	18.34	---	---	---	---	17.88	17.98	---	16.68	15.77
10	16.73	17.80	18.13	---	---	---	---	17.96	18.00	---	16.67	15.84
11	16.73	17.87	17.91	---	---	---	---	18.01	18.02	---	16.62	15.78
12	16.80	17.99	17.93	---	---	---	---	18.05	18.05	---	16.61	15.75
13	16.70	17.99	17.72	---	---	---	---	18.08	18.10	---	16.64	15.80
14	16.89	17.72	17.67	---	---	---	---	18.08	18.14	17.23	16.57	15.74
15	16.66	17.86	17.65	---	---	---	---	17.99	18.17	17.22	16.51	15.69
16	16.75	17.44	17.70	---	---	---	---	17.95	18.16	17.19	16.46	15.67
17	16.79	17.20	17.65	---	---	---	16.63	18.05	18.17	17.17	16.43	15.62
18	16.90	17.21	17.33	---	---	---	16.73	18.11	18.19	17.16	16.39	15.60
19	16.93	17.29	---	---	---	---	16.82	18.12	18.24	17.14	16.41	15.58
20	16.91	17.35	---	---	---	---	16.87	18.09	18.28	17.11	16.33	15.55
21	17.02	17.64	---	---	---	---	16.89	18.09	---	17.08	16.36	15.56
22	16.65	17.66	---	---	---	---	16.93	18.16	---	17.06	16.29	15.54
23	16.55	17.62	---	---	---	---	17.07	18.12	---	17.04	16.24	15.48
24	16.79	17.74	---	---	---	---	17.18	18.04	---	17.01	16.25	15.39
25	16.66	17.80	---	---	---	---	17.27	18.01	---	16.96	16.20	15.40
26	16.84	17.46	---	---	---	---	17.38	18.16	---	16.95	16.12	15.42
27	16.73	17.70	---	---	---	---	17.45	18.24	---	16.94	16.19	15.40
28	17.01	18.08	---	---	---	---	17.45	18.23	---	16.93	16.13	15.37
29	16.91	---	---	---	---	---	17.29	18.26	---	16.92	16.08	15.32
30	16.59	---	---	---	---	---	17.21	18.30	---	16.91	16.04	15.29
31	16.76	---	---	---	---	---	17.24	18.26	---	16.88	---	15.28




Figure 7.—Water level in observation well 23A, Poplar Bluff, Butler County.

27A-Jefferson City

COUNTY--Callaway

WELL IDENTIFICATION NUMBER--383549092094201

LOCATION--T.44N., R.11W., 10cccd, lat. 38°35'49", long. 92°09'42", Jefferson City Airport.
 Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey.

FORMATIONS OPEN TO THE WELL--Alluvium

WELL CHARACTERISTICS--Drilled April 20, 1956, total depth 95 feet, 60 feet of 8-inch casing, 31 feet of 4-inch casing, and 4 feet of 4-inch well screen.

INSTRUMENTATION--Stevens model 7001 digital recorder, installed May 1, 1980.

DATUM--Elevation of land-surface datum is 550.7 feet.

Measuring point: Base of recorder platform, 10.0 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--May 15, 1980, to present.

Missing record for 1985: Recorder clock stopped for the period April 15 to May 6.

Missing record for 1986: Recorder clock stopped for the period October 1 to December 31.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	22.51	23.68	20.28	20.90	---	21.26	19.89	22.72	23.01	24.14	22.93	20.09
2	22.53	22.85	20.37	20.97	---	21.23	19.99	22.77	23.10	24.10	23.01	20.23
3	22.60	22.67	20.49	21.09	---	20.88	20.08	22.81	23.14	24.02	23.03	20.20
4	22.74	22.48	20.60	21.12	---	20.41	20.16	22.85	23.20	24.01	23.07	20.26
5	22.77	22.27	20.56	21.19	---	20.23	20.29	22.88	23.26	24.02	23.07	20.41
6	22.83	22.02	20.53	21.27	---	20.11	20.43	22.94	23.33	23.98	23.09	20.54
7	22.91	21.68	20.62	21.30	21.04	19.86	20.54	22.99	23.40	23.97	23.20	20.57
8	22.96	21.42	20.57	21.25	21.11	19.80	20.63	23.03	23.44	24.03	23.23	20.70
9	23.03	21.30	20.01	21.19	21.13	19.82	20.71	23.06	23.49	24.09	23.27	20.79
10	23.08	21.08	19.97	21.09	21.14	19.71	20.84	23.13	23.56	24.11	23.42	20.57
11	23.19	20.90	20.09	20.99	21.14	19.09	20.95	23.15	23.62	24.09	23.48	19.37
12	23.25	20.82	20.04	21.00	21.28	19.02	21.06	23.14	23.68	24.00	23.49	19.33
13	23.31	20.57	20.06	20.94	21.21	19.35	21.17	23.19	23.75	23.91	23.37	19.37
14	23.34	20.33	20.06	20.93	20.82	20.06	21.29	23.13	23.79	23.76	23.03	19.43
15	23.38	20.27	20.17	---	20.89	20.14	21.41	23.00	23.82	23.64	22.78	19.58
16	23.47	20.17	20.33	---	20.86	20.27	21.52	23.03	23.85	23.50	22.69	19.74
17	23.55	20.06	20.44	---	20.86	19.41	21.62	23.06	23.90	23.36	22.59	19.92
18	23.58	20.01	20.50	---	20.87	18.61	21.71	23.13	23.96	23.26	22.07	20.19
19	23.61	20.12	20.50	---	20.87	18.59	21.81	23.10	23.99	23.21	21.38	20.24
20	23.65	20.00	20.37	---	20.88	18.58	21.91	23.07	24.02	23.17	21.13	20.47
21	23.72	20.01	20.29	---	20.86	18.66	21.98	23.12	24.04	23.11	20.94	20.57
22	23.78	20.01	20.36	---	20.92	18.79	22.08	23.02	24.07	23.06	20.86	20.65
23	23.84	20.01	20.36	---	20.99	18.91	22.16	22.59	24.13	23.02	20.83	20.78
24	23.89	20.07	20.35	---	21.03	19.06	22.19	22.64	24.16	23.07	20.85	21.01
25	23.93	20.08	20.42	---	21.04	19.17	22.27	22.67	24.11	23.08	20.82	21.13
26	23.97	20.13	20.57	---	21.07	19.25	22.37	22.71	24.12	23.04	20.84	21.12
27	24.05	20.22	20.61	---	21.16	19.40	22.44	22.76	24.10	23.06	20.80	21.37
28	24.09	20.25	20.66	---	21.25	19.53	22.49	22.78	24.11	23.06	20.86	21.42
29	24.11	---	20.71	---	21.26	19.64	22.57	22.78	24.09	23.04	20.88	21.56
30	24.15	---	20.79	---	21.20	19.77	22.62	22.84	24.14	23.01	20.86	21.58
31	24.08	---	20.87	---	21.24	---	22.68	22.91	---	22.96	---	21.77

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	21.82	24.00	23.91	24.32	24.11	22.18	23.02	22.75	23.84	---	---	---
2	21.88	23.83	23.97	24.28	24.08	22.21	23.08	22.81	23.88	---	---	---
3	22.04	23.25	24.01	24.18	23.99	22.20	23.12	22.92	23.90	---	---	---
4	22.14	23.00	23.99	24.20	23.86	22.20	23.09	22.98	23.93	---	---	---
5	22.20	23.09	24.02	24.21	23.79	22.22	23.08	23.02	23.98	---	---	---
6	22.30	23.00	24.08	24.17	23.78	22.23	23.09	23.06	24.01	---	---	---
7	22.45	22.91	24.13	24.09	23.79	22.27	23.10	23.13	24.06	---	---	---
8	22.48	22.89	24.09	24.05	23.79	22.32	23.07	23.20	24.09	---	---	---
9	22.50	22.86	24.13	23.98	23.78	22.33	23.00	23.25	24.10	---	---	---
10	22.61	22.80	24.22	23.89	23.76	22.33	22.90	23.29	24.12	---	---	---
11	22.65	22.81	24.22	23.83	23.73	22.35	22.79	23.37	24.12	---	---	---
12	22.77	22.85	24.24	23.82	23.70	22.43	22.69	23.41	24.14	---	---	---
13	22.82	22.84	24.31	23.78	23.65	22.49	22.62	23.44	24.18	---	---	---
14	22.93	22.89	24.33	23.79	23.59	22.49	22.52	23.47	24.17	---	---	---
15	23.00	22.97	24.36	23.83	23.52	22.50	22.40	23.51	24.15	---	---	---
16	23.07	22.96	24.36	23.83	23.47	22.56	22.28	23.50	24.18	---	---	---
17	23.15	23.14	24.30	23.82	23.36	22.64	22.19	23.50	24.17	---	---	---
18	23.21	23.24	24.25	23.82	23.28	22.62	22.11	23.50	24.16	---	---	---
19	23.28	23.34	24.39	23.85	23.18	22.60	22.03	23.49	24.22	---	---	---
20	23.31	23.47	24.41	23.80	23.03	22.63	22.02	23.51	24.25	---	---	---
21	23.38	23.52	24.38	23.90	22.86	22.66	22.03	23.55	24.23	---	---	---
22	23.51	23.57	24.30	23.94	22.68	22.70	22.08	23.58	24.20	---	---	---
23	23.51	23.61	24.31	23.93	22.56	22.75	22.12	23.60	24.09	---	---	---
24	23.51	23.70	24.23	23.92	22.47	22.81	22.14	23.65	23.87	---	---	---
25	23.61	23.68	24.19	23.94	22.39	22.85	22.18	23.67	23.84	---	---	---
26	23.67	23.76	24.24	23.97	22.32	22.86	22.27	23.71	23.79	---	---	---
27	23.70	23.88	24.23	23.96	22.30	22.88	22.32	23.73	23.55	---	---	---
28	23.72	23.92	24.19	24.03	22.27	22.92	22.39	23.75	23.35	---	---	---
29	23.86	---	24.20	24.05	22.26	22.95	22.49	23.77	23.25	---	---	---
30	23.90	---	24.24	24.07	22.23	22.98	22.55	23.79	23.07	---	---	---
31	23.93	---	24.27	---	22.20	---	22.64	23.82	---	---	---	---




Figure 8.—Water level in observation well 27A, Jefferson City, Callaway County.




Figure 9.—Water level in observation well 31A, Delta, Cape Girardeau County.




Figure 10.--Water level in observation well 45A, Wayland, Clark County.

COUNTY--Cooper

WELL IDENTIFICATION NUMBER--390207092570801

LOCATION--T.49N., R.19W., 12bac, lat. 39°02'07", long. 92°57'08", 2.5 miles south of Arrow Rock, State Highway 41.
 Owner: Richard Durham

FORMATIONS OPEN TO THE WELL--Burlington Limestone, Sedalia Formation, and Chouteau Group.

WELL CHARACTERISTICS--Total depth 230 feet.

INSTRUMENTATION--Stevens model A-35 chart recorder, installed March 29, 1962.

DATUM--Elevation of land-surface datum is 700 feet, from topographic map.
 Measuring point: Base of platform recorder, 1.3 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--January 15, 1980, to present.

Missing record for 1985: Recorder clock malfunctioned for the period March 20 to December 31.

Missing record for 1986: Recorder clock malfunctioned for the period January 1 to March 4; record not available after March 4.

REMARKS--Yields saline water, appears to be an obstruction at 58.9 feet.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	55.47	57.69	51.91	---	---	---	---	---	---	---	---	---
2	54.64	57.72	52.44	---	---	---	---	---	---	---	---	---
3	55.63	57.79	52.33	---	---	---	---	---	---	---	---	---
4	56.28	57.78	49.67	---	---	---	---	---	---	---	---	---
5	56.68	57.69	46.89	---	---	---	---	---	---	---	---	---
6	56.82	57.80	45.76	---	---	---	---	---	---	---	---	---
7	57.01	58.01	46.95	---	---	---	---	---	---	---	---	---
8	57.15	57.99	49.49	---	---	---	---	---	---	---	---	---
9	57.18	57.89	51.47	---	---	---	---	---	---	---	---	---
10	57.21	57.89	52.29	---	---	---	---	---	---	---	---	---
11	57.36	57.97	52.74	---	---	---	---	---	---	---	---	---
12	57.44	58.02	53.60	---	---	---	---	---	---	---	---	---
13	57.25	58.02	53.95	---	---	---	---	---	---	---	---	---
14	57.31	58.02	54.47	---	---	---	---	---	---	---	---	---
15	57.37	57.98	54.72	---	---	---	---	---	---	---	---	---
16	57.28	57.94	54.91	---	---	---	---	---	---	---	---	---
17	57.27	58.11	55.21	---	---	---	---	---	---	---	---	---
18	57.22	58.14	55.37	---	---	---	---	---	---	---	---	---
19	57.36	58.10	55.50	---	---	---	---	---	---	---	---	---
20	57.54	58.02	---	---	---	---	---	---	---	---	---	---
21	57.51	57.93	---	---	---	---	---	---	---	---	---	---
22	57.54	57.45	---	---	---	---	---	---	---	---	---	---
23	57.45	54.59	---	---	---	---	---	---	---	---	---	---
24	57.39	52.58	---	---	---	---	---	---	---	---	---	---
25	57.55	50.44	---	---	---	---	---	---	---	---	---	---
26	57.59	49.39	---	---	---	---	---	---	---	---	---	---
27	57.49	49.58	---	---	---	---	---	---	---	---	---	---
28	57.54	51.23	---	---	---	---	---	---	---	---	---	---
29	57.52	---	---	---	---	---	---	---	---	---	---	---
30	57.54	---	---	---	---	---	---	---	---	---	---	---
31	57.66	---	---	---	---	---	---	---	---	---	---	---




Figure 11.—Water level in observation well 53A, Arrow Rock, Cooper County.




Figure 12.—Water level in observation well 69A, Malden, Dunklin County.





Figure 13.—Water level in observation well 71A, St. Clair, Franklin County.





Figure 14.—Water level in observation well 71B, Washington, Franklin County.

COUNTY--Grundy

WELL IDENTIFICATION NUMBER--401444093442001

LOCATION--T.63N., R.25W., 20bdb, lat. 40°14'44", long. 93°44'20", approximately 8 miles west of Spickard
State Highway C, University of Missouri Agriculture Center.

Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey.

FORMATIONS OPEN TO THE WELL--Glacial drift.

WELL CHARACTERISTICS--Drilled October 31, 1958, total depth 140 feet, 136 feet of casing, and 4 feet of well screen.

INSTRUMENTATION--Stevens model A-35 chart recorder installed November 5, 1958; Stevens model 7001 digital recorder, after
December 22, 1980.

DATUM--Elevation of land-surface datum is 788 feet.

Measuring point: Base of recorder platform, 2.5 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--December 1984 to May 28, 1986.

Missing record for 1985: Recorder clock stopped for the period January 1 to June 25.

Missing record for 1986: Records not available after May 27.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	---	---	11.10	17.81	15.55	14.08	13.01	12.29
2	---	---	---	---	---	---	11.08	17.71	15.52	14.03	13.03	12.35
3	---	---	---	---	---	---	11.08	17.59	15.46	13.97	13.03	12.32
4	---	---	---	---	---	---	11.08	17.46	15.42	13.93	13.03	12.28
5	---	---	---	---	---	---	11.21	17.35	15.36	13.94	12.99	12.27
6	---	---	---	---	---	---	11.46	17.26	15.33	13.92	12.93	12.27
7	---	---	---	---	---	---	11.82	17.19	15.31	13.89	12.92	12.22
8	---	---	---	---	---	---	12.25	17.11	15.28	13.87	12.89	12.20
9	---	---	---	---	---	---	12.69	17.03	15.24	13.82	12.85	12.21
10	---	---	---	---	---	---	13.15	16.96	15.22	13.76	12.87	12.19
11	---	---	---	---	---	---	13.62	16.90	15.20	13.72	12.88	12.15
12	---	---	---	---	---	---	13.97	16.80	15.16	13.65	12.81	12.13
13	---	---	---	---	---	---	14.32	16.73	15.14	13.63	12.76	12.13
14	---	---	---	---	---	---	14.67	16.65	15.11	13.60	12.76	12.10
15	---	---	---	---	---	---	15.07	16.58	15.05	13.58	12.72	12.07
16	---	---	---	---	---	---	15.47	16.51	14.97	13.57	12.67	12.06
17	---	---	---	---	---	---	15.89	16.44	14.90	13.54	12.65	12.05
18	---	---	---	---	---	---	16.28	16.40	14.88	13.49	12.59	12.10
19	---	---	---	---	---	---	16.59	16.30	14.85	13.44	12.59	12.04
20	---	---	---	---	---	---	16.81	16.23	14.82	13.42	12.64	12.03
21	---	---	---	---	---	---	16.96	16.17	14.66	13.37	12.61	12.00
22	---	---	---	---	---	---	17.22	16.08	14.55	13.31	12.55	11.92
23	---	---	---	---	---	---	17.45	16.02	14.46	13.26	12.54	11.90
24	---	---	---	---	---	---	17.63	15.96	14.45	13.27	12.54	11.94
25	---	---	---	---	---	---	17.78	15.91	14.38	13.27	12.47	11.96
26	---	---	---	---	---	11.02	18.04	15.87	14.35	13.22	12.44	11.85
27	---	---	---	---	---	11.05	18.15	15.84	14.32	13.22	12.45	11.90
28	---	---	---	---	---	11.13	18.16	15.79	14.29	13.21	12.43	11.89
29	---	---	---	---	---	11.13	18.12	15.71	14.18	13.17	12.42	11.88
30	---	---	---	---	---	11.11	18.01	15.65	14.09	13.13	12.37	11.83
31	---	---	---	---	---	---	17.89	15.60	---	13.06	---	11.85

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	11.83	11.55	11.23	10.96	10.72	---	---	---	---	---	---	---
2	11.78	11.55	11.23	10.86	10.72	---	---	---	---	---	---	---
3	11.81	11.49	11.26	10.80	10.65	---	---	---	---	---	---	---
4	11.82	11.42	11.23	10.80	10.63	---	---	---	---	---	---	---
5	11.81	11.45	11.22	10.82	10.58	---	---	---	---	---	---	---
6	11.82	11.44	11.24	10.81	10.53	---	---	---	---	---	---	---
7	11.88	11.45	11.24	10.81	10.53	---	---	---	---	---	---	---
8	11.86	11.46	11.16	10.83	10.51	---	---	---	---	---	---	---
9	11.78	11.47	11.12	10.82	10.48	---	---	---	---	---	---	---
10	11.78	11.46	11.15	10.78	10.44	---	---	---	---	---	---	---
11	11.74	11.45	11.12	10.76	10.44	---	---	---	---	---	---	---
12	11.76	11.45	11.06	10.76	10.41	---	---	---	---	---	---	---
13	11.72	11.39	11.07	10.71	10.41	---	---	---	---	---	---	---
14	11.71	11.37	11.08	10.74	10.39	---	---	---	---	---	---	---
15	11.70	11.33	11.10	10.76	10.35	---	---	---	---	---	---	---
16	11.67	11.27	11.10	10.77	10.31	---	---	---	---	---	---	---
17	11.67	11.27	11.00	10.72	10.31	---	---	---	---	---	---	---
18	11.66	11.26	10.96	10.72	10.32	---	---	---	---	---	---	---
19	11.66	11.28	11.06	10.70	10.32	---	---	---	---	---	---	---
20	11.61	11.31	11.09	10.68	10.31	---	---	---	---	---	---	---
21	11.61	11.32	11.06	10.72	10.29	---	---	---	---	---	---	---
22	11.65	11.29	11.03	10.71	10.28	---	---	---	---	---	---	---
23	11.64	11.28	11.06	10.67	10.30	---	---	---	---	---	---	---
24	11.60	11.29	11.00	10.67	10.31	---	---	---	---	---	---	---
25	11.61	11.24	11.01	10.67	10.29	---	---	---	---	---	---	---
26	11.63	11.22	11.03	10.65	10.27	---	---	---	---	---	---	---
27	11.61	11.27	11.00	10.61	10.22	---	---	---	---	---	---	---
28	11.55	11.28	10.96	10.64	---	---	---	---	---	---	---	---
29	11.60	---	10.96	10.61	---	---	---	---	---	---	---	---
30	11.60	---	10.96	10.67	---	---	---	---	---	---	---	---
31	11.55	---	10.96	---	---	---	---	---	---	---	---	---




Figure 15.--Water level in observation well 79A, Spickard, Grundy County.




Figure 16.--Water level in observation well 91A, West Plains, Howell County.

COUNTY--Jasper

WELL IDENTIFICATION NUMBER--370600094223501

LOCATION--T.28N., R.32W., 36dcb, lat. 37°6'00", long. 94°22'35", 0.8 miles north of Old Highway 66, County Road AA, Atlas Chemical Industries, Inc.
 Owner: Atlas Chemical Industries, Inc.

FORMATIONS OPEN TO THE WELL--Cotter Dolomite, Jefferson City Dolomite, Roubidoux Formation, Gasconade Formation, Eminence Dolomite, Potosi Dolomite, Bonnetterre Formation, Lamotte Sandstone, and undifferentiated Precambrian.

WELL CHARACTERISTICS--Drilled January 25, 1941, total depth 1,747 feet, 375 feet of 10-inch casing, open hole.
 DGLS Log Number: 6,507

INSTRUMENTATION--Stevens model A-35 chart recorder, installed February 8, 1956.

DATUM--Elevation of land-surface datum is 970 feet, from topographic map.

Measuring point: Base of recorder platform, 3.5 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--August 9, 1978, to present.

Missing record for 1985: Recorder clock stopped for periods January 1 to March 5 and December 1 to 25.

Missing record for 1986: Recorder malfunctioned for periods February 9 to 15 and August 11 to November 7.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	5.26	6.31	8.72	7.93	11.00	10.22	11.40	10.26	---
2	---	---	---	5.53	6.06	8.72	8.05	10.97	10.30	11.33	10.39	---
3	---	---	---	5.69	6.13	8.71	8.14	10.93	10.32	11.29	10.51	---
4	---	---	---	5.87	6.27	8.70	8.24	10.89	10.44	11.40	10.63	---
5	---	---	---	5.61	6.48	8.30	8.44	10.82	10.57	11.47	10.62	---
6	---	---	5.81	5.15	6.76	7.92	8.81	10.82	10.69	11.42	10.65	---
7	---	---	5.87	5.46	6.91	7.39	8.99	10.77	10.84	11.41	10.77	---
8	---	---	6.14	5.72	6.77	7.10	9.09	10.82	10.90	11.51	10.76	---
9	---	---	6.41	5.89	6.66	7.16	9.14	10.95	10.96	11.62	10.76	---
10	---	---	6.47	6.02	6.74	6.73	9.30	11.09	11.09	11.69	10.91	---
11	---	---	6.52	6.27	6.90	6.53	9.63	11.14	11.25	11.75	10.93	---
12	---	---	6.74	6.50	7.22	6.95	9.97	11.22	11.43	11.81	10.71	---
13	---	---	6.75	6.69	7.23	7.38	10.35	11.44	11.52	11.90	7.21	---
14	---	---	6.90	6.77	6.70	7.72	10.68	11.15	11.48	11.80	4.71	---
15	---	---	6.96	6.88	6.65	7.94	11.03	10.91	11.43	11.68	4.17	---
16	---	---	7.02	7.08	6.78	8.09	11.32	10.84	11.40	11.61	5.00	---
17	---	---	7.16	7.19	6.96	8.24	11.61	10.86	11.56	11.63	5.74	---
18	---	---	7.24	7.31	7.21	8.39	11.69	10.77	11.84	11.56	5.50	---
19	---	---	7.34	7.41	7.45	8.52	11.64	10.65	11.91	11.15	4.39	---
20	---	---	7.48	7.57	7.68	8.60	11.54	10.66	11.90	10.93	4.93	---
21	---	---	7.57	7.75	7.89	8.78	11.44	10.67	11.86	10.87	5.28	---
22	---	---	7.71	7.81	8.03	6.91	11.37	10.17	11.78	10.88	5.76	---
23	---	---	7.92	7.93	8.19	5.45	11.31	9.12	11.78	10.96	6.15	---
24	---	---	8.06	8.08	8.27	5.97	11.23	8.93	11.76	11.15	6.43	---
25	---	---	8.23	8.12	8.34	6.38	11.19	9.05	11.62	11.25	6.62	---
26	---	---	8.25	8.20	8.43	6.75	11.09	9.26	11.58	11.25	6.87	8.00
27	---	---	8.20	8.34	8.56	7.10	11.04	9.47	11.52	11.31	7.13	8.19
28	---	---	8.28	8.43	8.70	7.32	11.01	9.65	11.55	11.31	7.30	8.29
29	---	---	7.98	8.47	8.68	7.52	11.01	9.79	11.49	11.20	7.37	8.38
30	---	---	5.61	7.83	8.50	7.76	10.96	9.94	11.46	10.72	7.48	8.44
31	---	---	4.64	---	8.67	---	10.98	10.08	---	10.28	---	8.64

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.65	9.85	9.32	13.80	10.49	10.68	9.11	10.65	---	---	---	8.35
2	8.75	9.87	9.35	13.62	10.37	10.73	9.31	10.64	---	---	---	8.33
3	8.82	9.71	9.50	13.53	10.27	10.73	9.43	10.66	---	---	---	8.43
4	9.02	9.56	9.54	12.51	10.18	10.72	9.54	10.67	---	---	---	8.41
5	8.97	9.51	9.52	11.21	10.16	10.64	9.68	10.65	---	---	---	8.42
6	9.06	9.32	9.65	10.94	10.25	10.62	9.87	10.65	---	---	---	8.50
7	9.27	9.10	9.72	10.75	10.35	10.65	9.99	10.67	---	---	---	8.47
8	9.24	8.87	9.68	9.56	10.42	10.69	10.00	10.65	---	---	8.86	8.43
9	9.19	---	9.67	8.93	10.53	10.67	9.99	10.65	---	---	8.88	8.49
10	9.26	---	9.81	8.85	10.59	10.66	9.99	10.66	---	---	8.92	8.47
11	9.25	---	9.83	8.90	10.66	10.49	9.99	---	---	---	8.94	8.43
12	9.36	---	9.34	9.06	10.76	10.44	10.01	---	---	---	8.93	8.39
13	9.29	---	9.00	9.25	10.85	10.44	10.13	---	---	---	8.98	8.37
14	9.37	---	8.90	9.45	10.91	10.42	10.18	---	---	---	9.02	8.39
15	9.39	---	8.99	9.53	10.84	10.38	10.21	---	---	---	8.98	8.47
16	9.43	8.75	9.05	9.56	10.83	10.43	10.25	---	---	---	8.94	8.52
17	9.47	8.69	9.06	9.58	10.67	10.44	10.29	---	---	---	8.75	8.54
18	9.49	8.59	9.05	9.71	10.49	10.30	10.32	---	---	---	8.47	8.52
19	9.51	8.62	9.35	9.89	10.40	10.24	10.34	---	---	---	8.31	8.52
20	9.47	8.69	9.53	9.85	10.36	10.26	10.38	---	---	---	8.26	8.49
21	9.62	8.84	9.55	10.02	10.31	10.27	10.42	---	---	---	8.32	8.47
22	9.77	8.87	9.55	10.12	10.25	10.30	10.43	---	---	---	8.37	8.47
23	9.70	8.87	9.71	10.12	10.36	9.54	10.38	---	---	---	8.34	8.43
24	9.64	9.02	9.91	10.16	10.47	8.77	10.39	---	---	---	8.27	8.35
25	9.75	9.02	10.26	10.22	10.52	8.47	10.43	---	---	---	8.26	8.39
26	9.80	9.02	10.96	10.29	10.54	8.50	10.47	---	---	---	8.18	8.40
27	9.76	9.19	11.56	10.31	10.57	8.68	10.50	---	---	---	8.13	8.41
28	9.64	9.35	12.04	10.43	10.61	8.76	10.53	---	---	---	8.14	8.44
29	9.88	---	12.53	10.45	10.65	8.83	10.55	---	---	---	8.20	8.45
30	9.85	---	13.02	10.50	10.67	8.93	10.56	---	---	---	8.26	8.49
31	9.79	---	13.48	---	10.66	---	10.59	---	---	---	---	8.52





Figure 17.—Water level in observation well 97A, Atlas Powder, Jasper County.




Figure 18.--Water level in observation well 99A, DeSoto, Jefferson County.

COUNTY--Lincoln

WELL IDENTIFICATION NUMBER--385836090584201

LOCATION--T.49N., R.1W., 26dac, lat. 38°58'36", long. 90°58'42", corner of Cap and Geis Streets in Troy, well number 4.

Owner: City of Troy

FORMATIONS OPEN TO THE WELL--Kimmiswick Formation, Decorah Formation, Plattin Formation, Joachim Dolomite, and St. Peter Sandstone.

WELL CHARACTERISTICS--Drilled April 12, 1946, total depth 813 feet, 400 feet of 8-inch casing, open hole.
DGLS Log Number: 9,108

INSTRUMENTATION--Stevens model A-35 chart recorder, installed April 15, 1980.

DATUM--Elevation of land-surface datum is 535 feet, from topographic map.
Measuring point: Base of recorder platform, at land-surface datum.

PERIOD OF PROCESSED RECORD--December 18, 1980, to present.

Missing record for 1985: Recorder malfunctioned for periods January 1 to 2, January 11 to 14, and January 20 to December 31.

Missing record for 1986: Recorder malfunctioned for periods January 1 to April 23, April 28 to June 4, June 24 to 28, July 15 to August 24, September 2 to 17, October 6 to 12, October 30 to November 13, November 18 to 23, and December 11 to 20.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	168.95	---	---	---	---	---	---	---	---	---	---	---
4	167.72	---	---	---	---	---	---	---	---	---	---	---
5	167.66	---	---	---	---	---	---	---	---	---	---	---
6	168.96	---	---	---	---	---	---	---	---	---	---	---
7	169.00	---	---	---	---	---	---	---	---	---	---	---
8	167.90	---	---	---	---	---	---	---	---	---	---	---
9	167.03	---	---	---	---	---	---	---	---	---	---	---
10	166.19	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	165.14	---	---	---	---	---	---	---	---	---	---	---
16	164.48	---	---	---	---	---	---	---	---	---	---	---
17	163.56	---	---	---	---	---	---	---	---	---	---	---
18	163.42	---	---	---	---	---	---	---	---	---	---	---
19	162.84	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	---	---	126.51	---	125.78	125.53	---	120.21
2	---	---	---	---	---	---	126.64	---	---	126.05	---	120.39
3	---	---	---	---	---	---	126.81	---	---	126.42	---	120.75
4	---	---	---	---	---	---	126.70	---	---	126.45	---	120.98
5	---	---	---	---	---	130.16	126.23	---	---	125.66	---	120.99
6	---	---	---	---	---	129.93	125.88	---	---	---	---	120.90
7	---	---	---	---	---	129.60	125.50	---	---	---	---	120.41
8	---	---	---	---	---	128.71	125.07	---	---	---	---	120.08
9	---	---	---	---	---	128.03	124.77	---	---	---	---	120.78
10	---	---	---	---	---	128.38	124.72	---	---	---	---	121.84
11	---	---	---	---	---	128.88	124.66	---	---	---	---	---
12	---	---	---	---	---	128.86	124.66	---	---	---	---	---
13	---	---	---	---	---	128.70	124.56	---	---	124.69	---	---
14	---	---	---	---	---	128.16	124.34	---	---	124.27	124.79	---
15	---	---	---	---	---	127.20	---	---	---	124.80	124.18	---
16	---	---	---	---	---	126.61	---	---	---	125.08	123.31	---
17	---	---	---	---	---	127.37	---	---	---	125.55	122.91	---
18	---	---	---	---	---	127.97	---	---	126.51	125.65	---	---
19	---	---	---	---	---	128.47	---	---	126.58	124.84	---	---
20	---	---	---	---	---	129.01	---	---	126.32	124.27	---	---
21	---	---	---	---	---	128.79	---	---	125.82	124.62	---	123.89
22	---	---	---	---	---	127.90	---	---	125.44	124.94	---	124.24
23	---	---	---	---	---	127.31	---	---	125.48	125.33	---	124.42
24	---	---	---	128.03	---	---	---	---	125.50	125.55	122.77	124.83
25	---	---	---	128.28	---	---	---	125.94	125.65	125.25	122.46	125.31
26	---	---	---	128.25	---	---	---	126.33	125.79	124.39	122.52	125.56
27	---	---	---	126.94	---	---	---	126.75	125.70	123.88	122.31	125.92
28	---	---	---	---	---	---	---	127.05	125.30	123.76	121.66	126.54
29	---	---	---	---	---	127.09	---	127.06	124.92	123.81	121.11	127.07
30	---	---	---	---	---	126.60	---	126.70	125.26	---	120.59	127.40
31	---	---	---	---	---	---	---	126.20	---	---	---	127.84




Figure 19.—Water level in observation well 113A, Troy, Lincoln County.




Figure 20.—Water level in observation well 119A, Longview, McDonald County.




Figure 21.--Water level in observation well 119B, Noel, McDonald County.




Figure 22.--Water level in observation well 123A, Fredericktown, Madison County.




Figure 23.--Water level in observation well 127A, Marion County.




Figure 24.—Water level in observation well 133A, East Prairie, Mississippi County.




Figure 25.--Water level in observation well 139A, New Florence, Montgomery County.

COUNTY--Pemiscot

WELL IDENTIFICATION NUMBER--360422089484801

LOCATION--T.17N., R.11E., 36abb, lat 36°04'22", long. 89°48'48", Missouri Highway Department Maintenance buildings, approximately 2 miles south of State Highways 164 and 161, east outer boundary road to Interstate 55.

Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey.

FORMATIONS OPEN TO THE WELL--Alluvium

WELL CHARACTERISTICS--Drilled August 22, 1956, total depth 132 feet, 62 feet of 8-inch casing, 66 feet of 4-inch casing, and 4 feet of 4-inch well screen.

DGLS Log Number: 14,804

INSTRUMENTATION--Stevens model 7001 digital recorder, installed November 6, 1980.

DATUM--Elevation of land-surface datum is 260 feet, from topographic map.
Measuring point: Base of recorder, 1.6 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--November 6, 1980, to present.

Missing record for 1985: Recorder malfunctioned for periods January 1 to January 18 and February 1 to March 15; recorder clock stopped for period June 2 to August 14.

Missing record for 1986: Recorder clock stopped for the period April 10 to August 9; records not available after August 9.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	10.66	10.80	11.50	---	---	14.49	15.15	15.11	14.27
2	---	---	---	10.69	10.56	---	---	---	14.53	15.16	15.07	14.27
3	---	---	---	10.69	10.53	---	---	---	14.55	15.17	15.04	14.22
4	---	---	---	10.73	10.55	---	---	---	14.58	15.20	15.03	14.18
5	---	---	---	10.81	10.58	---	---	---	14.55	15.23	15.03	14.16
6	---	---	---	10.95	10.65	---	---	---	14.53	15.24	15.01	14.17
7	---	---	---	11.03	10.71	---	---	---	14.58	15.26	15.04	14.16
8	---	---	---	11.09	10.79	---	---	---	14.59	15.29	15.06	14.15
9	---	---	---	11.14	10.87	---	---	---	14.59	15.32	15.05	14.17
10	---	---	---	11.15	10.93	---	---	---	14.63	15.33	15.08	14.18
11	---	---	---	11.20	10.98	---	---	---	14.66	15.34	15.11	14.13
12	---	---	---	11.26	11.06	---	---	---	14.69	15.36	15.12	14.06
13	---	---	---	11.28	11.14	---	---	---	14.73	15.38	15.12	14.04
14	---	---	---	11.26	11.20	---	---	---	14.76	15.38	15.14	14.06
15	---	---	---	11.19	11.26	---	---	14.00	14.77	15.39	15.15	14.03
16	---	---	10.18	11.28	11.28	---	---	13.95	14.78	15.42	15.09	14.03
17	---	---	10.27	11.34	11.34	---	---	14.02	14.81	15.43	15.03	14.02
18	---	---	10.35	11.37	11.41	---	---	14.07	14.85	15.44	14.99	14.07
19	9.79	---	10.41	11.40	11.48	---	---	14.10	14.88	15.44	14.98	14.06
20	9.97	---	10.47	11.44	11.54	---	---	14.14	14.90	15.43	15.01	14.06
21	10.00	---	10.48	11.48	11.59	---	---	14.18	14.92	15.44	14.96	14.07
22	10.07	---	10.48	11.50	11.27	---	---	14.21	14.94	15.45	14.95	14.03
23	10.11	---	10.54	11.52	11.02	---	---	14.23	14.97	15.43	14.96	14.05
24	10.15	---	10.59	11.54	11.00	---	---	14.25	15.02	15.42	14.97	14.09
25	10.26	---	10.71	11.56	11.02	---	---	14.24	15.00	15.43	14.95	14.17
26	10.37	---	10.73	11.58	11.06	---	---	14.28	15.03	15.42	14.94	14.13
27	10.34	---	10.73	11.46	11.13	---	---	14.32	15.06	15.44	14.76	14.18
28	10.43	---	10.77	11.15	11.21	---	---	14.35	15.09	15.43	14.51	14.20
29	10.52	---	10.84	11.06	11.28	---	---	14.37	15.10	15.44	14.41	14.22
30	10.54	---	10.88	11.02	11.32	---	---	14.40	15.12	15.42	14.35	14.23
31	10.27	---	10.71	---	11.40	---	---	14.43	---	15.28	---	14.25

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	14.31	14.60	12.74	12.74	---	---	---	---	---	---	---	---
2	14.29	14.58	12.71	12.76	---	---	---	---	---	---	---	---
3	14.33	14.36	12.79	12.80	---	---	---	---	---	---	---	---
4	14.35	13.83	12.83	12.85	---	---	---	---	---	---	---	---
5	14.41	13.42	12.82	12.85	---	---	---	---	---	---	---	---
6	14.40	13.21	12.89	12.85	---	---	---	---	---	---	---	---
7	14.48	13.10	12.95	12.84	---	---	---	---	---	---	---	---
8	14.51	13.04	12.97	12.73	---	---	---	---	---	---	---	---
9	14.49	12.99	12.96	---	---	---	---	---	---	---	---	---
10	14.48	12.94	12.99	---	---	---	---	---	---	---	---	---
11	14.51	12.96	13.05	---	---	---	---	---	---	---	---	---
12	14.53	12.97	12.60	---	---	---	---	---	---	---	---	---
13	14.56	12.96	12.19	---	---	---	---	---	---	---	---	---
14	14.55	12.88	12.13	---	---	---	---	---	---	---	---	---
15	14.61	12.79	12.18	---	---	---	---	---	---	---	---	---
16	14.62	12.60	12.22	---	---	---	---	---	---	---	---	---
17	14.63	12.48	12.24	---	---	---	---	---	---	---	---	---
18	14.60	12.45	12.20	---	---	---	---	---	---	---	---	---
19	14.49	12.45	12.28	---	---	---	---	---	---	---	---	---
20	14.47	12.44	12.38	---	---	---	---	---	---	---	---	---
21	14.45	12.51	12.42	---	---	---	---	---	---	---	---	---
22	14.52	12.51	12.42	---	---	---	---	---	---	---	---	---
23	14.53	12.50	12.43	---	---	---	---	---	---	---	---	---
24	14.49	12.56	12.48	---	---	---	---	---	---	---	---	---
25	14.49	12.58	12.50	---	---	---	---	---	---	---	---	---
26	14.50	12.52	12.54	---	---	---	---	---	---	---	---	---
27	14.54	12.62	12.59	---	---	---	---	---	---	---	---	---
28	14.50	12.72	12.61	---	---	---	---	---	---	---	---	---
29	14.54	---	12.63	---	---	---	---	---	---	---	---	---
30	14.61	---	12.66	---	---	---	---	---	---	---	---	---
31	14.59	---	12.71	---	---	---	---	---	---	---	---	---




Figure 26.—Water level in observation well 115A, Steele, Pemiscot County.




Figure 27.--Water level in observation well 157A, National Lead, Perry County.

COUNTY--Pettis

WELL IDENTIFICATION NUMBER--384830093192501

LOCATION--T.47N., R.22W., 34cad, lat. 38°48'30", long. 93°19'25", 5 miles west of Sedalia, County Road T.
 Owner: Oliver Funk

FORMATIONS OPEN TO THE WELL--Jefferson City Dolomite, Roubidoux Formation, Gasconade Formation, Eminence Dolomite, Potosi Dolomite, Derby-Doerun Dolomite, and Davis Dolomite.

WELL CHARACTERISTICS--Drilled May 6, 1971, total depth 1,410 feet, 432 feet of 13-inch casing, open hole.
 DGLS Log Number: 26,814

INSTRUMENTATION--Stevens model A-35 chart recorder, installed January 12, 1973.

DATUM--Elevation of land-surface datum is 825 feet, from topographic map.

Measuring point: Base of recorder platform, 2.9 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--January 12, 1973, to present.

Missing record for 1985: Recorder malfunctioned for the periods February 1 to 8 and August 21 to December 31.

Missing record for 1986: Recorder malfunctioned for the period January 1 to March 4; records are not available after March 4.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	146.67	---	145.14	144.94	144.94	144.68	144.60	144.93	---	---	---	---
2	146.83	---	145.12	144.74	145.05	144.64	144.53	144.85	---	---	---	---
3	146.71	---	145.69	144.91	145.07	144.68	144.63	144.83	---	---	---	---
4	146.49	---	145.64	145.20	144.90	144.63	144.73	144.80	---	---	---	---
5	146.56	---	145.39	145.42	144.82	144.63	144.74	144.80	---	---	---	---
6	146.34	---	145.61	145.51	144.91	144.52	144.69	144.85	---	---	---	---
7	146.49	---	145.62	145.40	144.92	144.63	144.64	144.83	---	---	---	---
8	146.61	---	145.31	145.17	144.98	144.55	144.69	144.80	---	---	---	---
9	146.49	145.63	145.29	145.20	144.89	144.62	144.66	144.95	---	---	---	---
10	146.60	145.58	145.45	145.24	144.68	144.72	144.62	144.95	---	---	---	---
11	146.89	145.69	145.45	145.18	144.58	144.62	144.66	144.83	---	---	---	---
12	146.80	145.69	145.58	145.08	144.74	144.52	144.70	144.89	---	---	---	---
13	146.36	145.70	145.51	144.97	144.57	144.51	144.80	144.91	---	---	---	---
14	146.52	145.69	145.51	145.07	144.73	144.50	144.84	144.89	---	---	---	---
15	146.48	145.45	145.51	145.13	144.76	144.60	144.82	144.88	---	---	---	---
16	146.30	145.71	145.37	145.03	144.75	144.64	144.79	144.88	---	---	---	---
17	146.17	145.76	145.36	144.98	144.71	144.62	144.82	144.94	---	---	---	---
18	146.21	145.66	145.38	144.89	144.65	144.46	144.78	145.01	---	---	---	---
19	146.50	145.48	145.26	144.91	144.70	144.53	144.72	145.02	---	---	---	---
20	146.69	145.39	145.17	144.89	144.79	144.63	144.73	145.04	---	---	---	---
21	146.61	145.32	145.23	144.77	144.81	144.64	144.73	---	---	---	---	---
22	146.57	145.33	145.42	144.83	144.80	144.62	144.65	---	---	---	---	---
23	146.30	145.55	145.43	144.98	144.72	144.57	144.71	---	---	---	---	---
24	146.20	145.48	145.14	144.93	144.59	144.61	144.84	---	---	---	---	---
25	146.58	145.72	144.91	144.87	144.54	144.73	144.88	---	---	---	---	---
26	146.45	145.59	145.00	144.95	144.66	144.75	144.84	---	---	---	---	---
27	146.33	145.28	145.19	145.09	144.61	144.75	144.87	---	---	---	---	---
28	146.38	145.46	144.99	145.08	144.45	144.77	144.84	---	---	---	---	---
29	146.25	---	145.16	144.97	144.50	144.75	144.77	---	---	---	---	---
30	146.46	---	145.34	144.82	144.58	144.69	144.88	---	---	---	---	---
31	146.58	---	145.10	---	144.55	---	144.97	---	---	---	---	---




Figure 28.—Water level in observation well 159A, Sedalia, Pettis County.

161A-Industrial Park

COUNTY--Phelps

WELL IDENTIFICATION NUMBER--375850091432201

LOCATION--T.38N., R.07W., 29cbb, lat. 37°58'50", long. 91°43'22", 5 miles east of Rolla, County Highway V,
Phelps County Industrial Park, east 0.3 mile at water tower.
Owner: Rolla Industrial Park

FORMATIONS OPEN TO THE WELL--Gasconade Formation and Eminence Dolomite

WELL CHARACTERISTICS--Drilled April 1954, total depth 800 feet, 400 feet of 8-inch casing, open hole.
DGLS Log Number: 25,796

INSTRUMENTATION--Stevens model 7001 digital recorder installed, January 20, 1980.

DATUM--Elevation of land-surface datum is 1,189 feet.

Measuring point: Base of recorder platform, 2.4 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--January 20, 1980, to present.

Missing record for 1985: Recorder clock stopped for periods March 31 to May 15, June 11 to June 13;
recorder malfunctioned for the period July 26 to August 6.

Missing record for 1986: Recorder clock stopped for period November 1 to December 31.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	306.56	315.31	319.68	---	---	280.45	271.07	---	275.90	277.30	277.32	272.69
2	307.40	315.42	319.36	---	---	280.50	271.01	---	275.28	277.36	277.11	275.63
3	307.43	315.81	318.28	---	---	280.46	271.89	---	275.35	277.86	276.60	279.01
4	307.50	315.32	315.65	---	---	280.35	271.34	---	276.01	278.04	276.72	279.92
5	307.56	315.37	315.63	---	---	280.40	270.73	---	276.62	277.76	276.96	281.96
6	306.75	316.26	315.26	---	---	279.73	270.12	---	277.21	277.60	279.02	282.40
7	306.88	316.47	315.21	---	---	279.34	269.29	273.39	277.32	277.65	278.37	282.41
8	307.53	316.43	313.78	---	---	278.92	269.64	273.69	277.49	278.23	277.87	279.59
9	307.76	316.01	313.48	---	---	278.13	269.87	273.96	277.02	278.63	276.88	279.86
10	307.94	317.10	316.43	---	---	276.94	269.08	273.98	277.77	278.24	276.17	279.81
11	308.24	321.50	318.77	---	---	---	269.90	274.03	277.57	278.07	276.49	279.88
12	308.74	323.28	317.95	---	---	---	270.44	273.94	276.81	277.45	276.78	279.46
13	309.05	323.41	318.24	---	---	---	269.34	274.36	276.94	276.85	277.00	279.49
14	312.02	323.05	318.13	---	---	273.99	268.40	274.73	276.26	276.93	277.67	278.63
15	317.02	321.83	316.39	---	---	272.69	267.43	274.80	275.28	277.50	277.89	277.81
16	317.73	321.87	315.66	---	312.30	271.73	267.58	275.03	275.24	278.12	277.97	278.43
17	317.36	322.71	311.83	---	312.35	272.62	267.32	275.30	276.31	276.93	278.50	277.00
18	318.27	321.83	310.73	---	312.51	273.23	267.70	274.93	276.75	277.85	278.89	275.42
19	318.68	318.41	312.03	---	311.80	273.11	267.39	275.83	276.86	278.42	278.74	277.47
20	314.74	315.69	311.62	---	311.13	272.64	268.02	276.01	277.79	277.51	278.82	278.08
21	313.87	314.21	310.15	---	300.55	272.39	268.38	275.88	277.17	277.28	278.32	276.95
22	314.35	312.59	308.98	---	292.84	272.19	274.34	276.34	276.25	277.82	278.42	275.55
23	314.85	311.74	308.52	---	288.30	272.63	278.18	276.32	275.95	281.14	277.92	275.93
24	315.20	311.11	311.68	---	285.20	273.70	274.93	275.44	275.78	287.66	277.50	276.27
25	314.10	317.50	313.47	---	283.31	273.09	274.92	274.90	275.98	283.28	277.29	276.19
26	313.75	319.07	313.59	---	283.45	272.56	---	276.03	275.98	281.18	277.86	274.95
27	317.34	319.70	313.22	---	283.72	272.21	---	275.98	276.41	279.33	277.59	273.89
28	320.33	319.96	313.57	---	283.45	271.77	---	276.55	276.76	278.88	274.11	273.24
29	320.81	---	313.23	---	283.00	270.97	---	276.81	276.42	278.36	276.00	272.83
30	316.77	---	312.41	---	282.26	270.52	---	276.35	276.79	277.79	274.85	272.27
31	315.25	---	---	---	280.58	---	---	276.00	---	277.65	---	272.48

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	272.35	270.60	270.65	284.52	295.33	310.10	295.83	296.92	310.21	305.34	---	---
2	273.39	269.98	270.18	290.56	298.80	294.10	295.07	300.82	309.93	304.37	---	---
3	274.17	269.45	269.99	294.08	291.92	286.41	298.80	302.63	309.35	304.12	---	---
4	274.96	270.76	271.62	293.12	297.37	283.43	300.35	302.23	308.64	305.40	---	---
5	273.12	272.25	272.44	294.51	288.55	282.42	301.12	301.53	306.05	305.80	---	---
6	272.97	272.90	272.29	294.35	283.12	282.45	301.07	300.28	304.53	304.93	---	---
7	273.42	273.00	272.16	294.45	282.83	279.26	300.09	300.24	305.43	304.62	---	---
8	271.89	272.57	272.16	294.64	288.69	276.92	299.32	300.94	305.82	304.69	---	---
9	272.15	271.22	271.00	292.33	284.78	276.01	299.36	303.86	305.88	303.77	---	---
10	271.08	271.12	270.16	291.72	282.15	276.06	299.84	306.76	305.46	303.31	---	---
11	270.48	270.39	270.99	291.95	280.22	274.93	297.62	307.82	305.41	304.30	---	---
12	269.66	270.29	271.22	292.44	278.09	276.00	297.93	308.40	305.28	304.50	---	---
13	270.08	270.05	269.90	292.62	276.46	278.80	299.08	308.07	305.14	305.28	---	---
14	270.47	269.82	269.20	293.06	275.82	283.21	299.27	307.69	304.93	305.23	---	---
15	270.42	269.63	269.72	292.90	275.14	286.24	299.40	308.74	299.76	304.49	---	---
16	269.97	268.64	270.47	296.95	274.58	287.69	298.08	309.23	300.57	302.86	---	---
17	269.98	268.55	269.73	299.07	273.99	288.30	296.96	309.12	300.75	302.72	---	---
18	269.67	268.50	270.30	299.29	273.70	288.65	296.90	309.91	299.89	302.13	---	---
19	269.07	270.30	271.67	299.63	273.26	291.90	296.57	309.52	299.88	300.40	---	---
20	269.53	273.03	272.10	300.55	272.35	294.31	296.67	308.28	300.47	299.98	---	---
21	271.02	273.58	273.05	299.58	272.74	295.44	296.80	307.65	300.23	299.76	---	---
22	271.90	272.88	273.63	298.81	273.18	296.29	296.77	308.62	300.10	299.25	---	---
23	271.80	271.56	273.58	297.40	273.46	297.14	296.80	309.30	300.31	298.96	---	---
24	271.96	270.75	272.95	295.96	274.71	296.53	296.57	309.44	300.28	298.56	---	---
25	272.24	270.77	272.32	295.52	274.22	295.75	299.81	308.91	299.48	299.71	---	---
26	271.33	269.54	271.58	295.45	273.50	296.93	300.75	309.30	299.35	302.64	---	---
27	271.26	269.66	271.79	295.14	272.70	295.83	300.97	308.47	301.75	303.65	---	---
28	270.16	270.31	271.66	294.69	272.05	295.36	301.95	307.93	305.16	303.32	---	---
29	269.99	---	---	293.62	272.15	295.82	302.04	308.56	305.48	303.14	---	---
30	270.42	---	279.51	293.28	273.16	296.02	301.57	310.21	305.37	302.95	---	---
31	270.58	---	282.22	---	296.48	---	301.35	310.84	---	302.60	---	---




Figure 29.--Water level in observation well 161A, Industrial Park, Phelps County.

COUNTY--Pheips

WELL IDENTIFICATION NUMBER--375625091480401

LOCATION--T.37N., R.8W., 10cca, lat. 37°56'25", long. 91°48'04", Rolla Inn (formerly Holiday Inn).
Owner: Rolla Inn

FORMATIONS OPEN TO THE WELL--Gunter Sandstone Member of the Gasconade Formation and Eminence Dolomite.

WELL CHARACTERISTICS--Drilled July 1, 1962, total depth 650 feet, 420 feet of 6-inch casing, open hole.

INSTRUMENTATION--Stevens model A-35 chart recorder, installed January 2, 1968.

DATUM--Elevation of land-surface datum is 975 feet, from topographic map.

Measuring point: Base of recorder platform, 1.8 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--November 7, 1983, to present.

Missing record for 1985: Recorder malfunctioned for the periods January 1 to 18, March 4 to 5, August 4 to 12, August 22 to 26, September 2 to 3, September 7 to 8, September 11 to 13, September 22 to 23, September 26 to 30, November 5 to 6, November 16 to 17, November 25 to 28, December 7, and December 9 to 13; recorder clock stopped for the periods January 19 to February 13 and December 14 to 26.

Missing record for 1986: Recorder malfunctioned for the periods January 13 to 21, February 5 to March 23, April 3 to 10, April 13 to 17, April 20 to 22, and April 24 to 28; recorder clock stopped for the period January 27 to February 1; records not available after July 20.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	173.01	172.29	171.35	172.36	174.61	182.37	180.88	176.18	176.65	176.71
2	---	---	173.70	171.34	170.64	174.17	176.38	182.09	---	175.53	176.03	176.71
3	---	---	172.72	170.40	170.49	174.30	176.60	180.51	---	175.51	177.71	178.25
4	---	---	---	169.99	172.39	173.46	175.91	---	181.69	175.45	177.94	178.09
5	---	---	---	171.53	173.03	172.68	175.14	---	181.79	175.63	---	177.14
6	---	---	173.34	171.60	172.52	172.41	175.54	---	180.60	177.86	---	176.21
7	---	---	174.10	170.68	171.62	174.51	178.14	---	---	178.06	179.70	---
8	---	---	173.60	169.96	171.18	175.12	178.84	---	---	177.49	182.91	177.81
9	---	---	172.65	171.46	172.76	174.67	177.76	---	182.49	177.08	182.00	---
10	---	---	171.62	171.55	173.31	173.52	176.76	---	182.61	176.49	180.31	---
11	---	---	172.26	170.93	172.60	172.86	177.06	---	---	177.99	178.44	---
12	---	---	172.76	170.18	171.72	174.84	179.81	---	---	178.50	177.56	---
13	---	---	172.14	169.66	171.01	175.33	181.04	178.44	---	177.46	179.29	---
14	---	173.38	171.45	171.49	172.33	176.32	180.54	177.19	183.12	177.05	179.49	---
15	---	173.47	170.96	172.01	172.51	176.16	179.56	176.63	182.66	179.33	178.34	---
16	---	172.92	171.09	171.55	171.65	175.27	179.42	178.59	181.14	179.35	---	---
17	---	172.64	171.31	170.86	170.57	176.32	181.48	179.09	180.03	177.87	---	---
18	---	172.38	170.84	170.33	169.86	176.52	181.92	178.35	180.30	178.35	178.83	---
19	---	173.76	170.53	172.20	170.82	175.76	181.16	177.11	182.63	181.14	178.92	---
20	---	174.03	172.29	172.79	170.80	174.66	181.65	177.26	182.19	180.54	179.04	---
21	---	173.49	172.68	171.92	170.29	173.88	182.64	179.51	180.79	178.58	178.02	---
22	---	172.62	172.01	170.75	169.50	176.00	184.28	---	---	177.92	177.41	---
23	---	172.00	171.22	170.44	169.65	176.90	184.00	---	---	179.65	179.33	---
24	---	173.55	170.80	172.25	171.62	176.06	182.46	---	181.07	179.94	179.69	---
25	---	173.55	172.15	172.60	171.73	174.95	181.11	---	181.05	179.32	---	---
26	---	172.84	172.21	172.10	171.28	174.27	181.12	---	---	180.42	---	---
27	---	172.27	171.53	171.37	171.21	176.62	183.30	180.39	---	179.62	---	173.89
28	---	171.46	170.78	170.84	173.37	177.14	183.22	179.33	---	177.72	---	172.51
29	---	---	170.90	171.86	174.04	176.46	181.74	178.38	---	176.90	179.23	173.39
30	---	---	172.33	171.81	173.29	175.25	180.23	178.60	---	178.67	177.90	174.94
31	---	---	172.87	---	172.50	---	180.17	180.84	---	178.11	---	175.64

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	175.42	---	---	173.17	173.15	178.24	177.84	---	---	---	---	---
2	173.75	177.58	---	176.35	175.64	178.69	178.06	---	---	---	---	---
3	173.81	176.31	---	---	176.35	177.70	177.14	---	---	---	---	---
4	174.55	177.31	---	---	175.69	176.38	176.08	---	---	---	---	---
5	174.44	---	---	---	174.50	175.85	175.94	---	---	---	---	---
6	174.55	---	---	---	174.30	178.15	178.03	---	---	---	---	---
7	177.41	---	---	---	176.61	178.92	178.64	---	---	---	---	---
8	177.49	---	---	---	177.36	178.06	178.54	---	---	---	---	---
9	176.42	---	---	---	177.18	176.50	177.69	---	---	---	---	---
10	175.45	---	---	---	176.71	175.93	177.03	---	---	---	---	---
11	175.98	---	---	173.08	176.40	177.73	178.88	---	---	---	---	---
12	177.26	---	---	175.08	177.65	178.40	179.40	---	---	---	---	---
13	---	---	---	---	177.58	177.91	178.68	---	---	---	---	---
14	---	---	---	---	176.84	176.59	177.75	---	---	---	---	---
15	---	---	---	---	175.75	176.25	177.06	---	---	---	---	---
16	---	---	---	---	175.35	177.47	179.25	---	---	---	---	---
17	---	---	---	---	177.25	177.72	179.37	---	---	---	---	---
18	---	---	---	176.08	177.88	176.84	177.96	---	---	---	---	---
19	---	---	---	175.62	176.85	175.65	176.76	---	---	---	---	---
20	---	---	---	---	175.68	175.54	176.75	---	---	---	---	---
21	---	---	---	---	174.88	177.63	---	---	---	---	---	---
22	176.59	---	---	---	176.75	178.21	---	---	---	---	---	---
23	177.41	---	---	176.11	177.32	177.47	---	---	---	---	---	---
24	176.70	---	178.27	---	176.70	176.85	---	---	---	---	---	---
25	175.68	---	177.41	---	175.97	176.27	---	---	---	---	---	---
26	175.24	---	176.42	---	175.31	178.03	---	---	---	---	---	---
27	---	---	176.04	---	177.10	178.63	---	---	---	---	---	---
28	---	---	177.57	---	177.96	177.88	---	---	---	---	---	---
29	---	---	177.62	174.29	177.75	176.84	---	---	---	---	---	---
30	---	---	176.56	173.25	176.85	176.19	---	---	---	---	---	---
31	---	---	175.53	---	176.18	---	---	---	---	---	---	---




Figure 30.--Water level in observation well 161B, Rolla, Phelps County.

COUNTY--Polk

WELL IDENTIFICATION NUMBER--373701093151601

LOCATION--T.33N., R.21W., 5adc, lat. 37°37'01", long. 93°15'16", 0.2 miles east of junction of State Highway 32 and County Road H, east of Halfway, Missouri Highway Department buildings.

Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey.

FORMATIONS OPEN TO THE WELL--Cotter Dolomite and Jefferson City Dolomite.

WELL CHARACTERISTICS--Drilled March 5, 1956, total depth 200 feet, 43 feet of 8-inch casing, open hole.
DGLS Log Number: 14,308

INSTRUMENTATION--Stevens model A-35 chart recorder, installed March 5, 1956.

DATUM--Elevation of land-surface datum is 1,114 feet, from topographic map.
Measuring point: Base of recorder platform, 2.2 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--June 14, 1983, to present.
Missing record for 1986: Recorder clock stopped for the period August 25 to December 31.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	49.72	51.49	46.43	44.46	45.79	47.91	47.63	52.74	53.47	57.47	57.44	57.82
2	49.64	51.66	46.43	44.30	45.56	48.10	48.04	52.81	53.73	57.57	57.32	57.61
3	49.79	51.99	46.43	44.14	45.24	48.42	48.13	52.90	53.63	57.69	57.24	57.32
4	50.04	51.95	46.07	43.92	45.19	48.63	48.23	52.79	53.58	57.94	57.01	57.51
5	50.00	51.69	46.23	43.78	45.36	48.58	48.21	52.85	53.73	58.28	56.94	57.28
6	50.02	51.68	46.43	43.65	45.37	48.42	48.35	53.01	53.95	58.39	57.08	57.00
7	49.95	52.00	46.14	43.56	45.22	48.34	48.56	53.17	54.28	58.50	56.84	56.86
8	49.78	52.22	46.13	43.55	45.27	47.95	48.76	53.51	54.19	58.31	56.72	56.71
9	49.86	52.05	45.91	43.73	46.51	47.72	48.95	53.53	54.46	58.17	56.79	56.56
10	49.93	51.74	45.53	43.82	46.66	47.76	49.04	53.80	54.50	57.88	56.53	56.17
11	49.51	51.45	44.83	43.76	46.69	47.72	49.18	53.97	54.43	57.73	56.61	55.84
12	49.03	51.27	44.76	43.39	46.69	47.69	49.37	54.05	54.57	57.53	56.54	55.52
13	49.21	51.14	44.57	43.17	46.44	47.77	49.60	54.26	54.52	57.58	56.53	55.44
14	49.66	51.27	44.47	43.09	46.87	48.07	49.88	54.25	54.61	57.69	57.19	55.14
15	50.08	50.93	44.50	43.06	46.91	47.79	50.66	53.99	54.78	57.55	58.35	55.37
16	50.09	50.40	44.44	42.94	46.99	47.66	50.51	53.95	54.75	57.37	59.10	55.03
17	50.26	50.42	44.56	42.97	47.43	47.60	51.01	53.98	54.77	57.47	59.44	55.17
18	49.90	50.64	44.83	43.35	47.60	47.61	51.41	54.03	54.77	57.34	59.93	55.01
19	49.91	50.11	44.79	43.99	47.52	47.52	51.60	53.93	54.93	57.38	60.64	54.98
20	50.70	49.44	44.91	44.65	47.58	47.47	51.97	53.95	54.96	57.36	60.72	54.92
21	50.93	48.82	44.93	44.20	47.86	47.41	52.36	53.96	54.94	57.48	60.74	54.52
22	50.94	48.35	44.94	44.09	48.07	47.38	52.08	53.69	55.06	57.42	60.28	54.61
23	50.71	47.53	45.00	44.26	47.98	47.19	51.87	53.21	55.09	57.38	60.06	54.73
24	50.56	46.94	45.17	44.30	48.05	46.84	52.33	52.96	55.49	57.40	60.15	55.01
25	50.65	46.86	45.41	44.18	48.30	46.85	52.28	53.00	55.38	57.54	59.88	54.75
26	50.93	46.67	45.66	44.44	48.38	47.02	52.12	53.12	55.50	57.29	59.48	54.85
27	50.71	46.78	45.63	44.64	48.32	47.07	52.39	53.18	55.82	57.31	59.29	55.07
28	50.73	46.75	45.44	44.67	48.29	47.11	52.30	53.27	56.43	57.21	58.82	54.99
29	50.90	---	45.35	44.90	48.13	47.39	52.33	53.13	57.01	57.06	58.64	55.00
30	50.83	---	45.63	45.40	48.06	47.54	52.52	53.10	57.22	56.96	58.48	54.93
31	51.15	---	45.09	---	48.04	---	52.69	53.34	---	57.24	---	55.24

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	55.24	51.24	49.08	48.20	49.21	49.60	50.27	47.66	---	---	---	---
2	55.13	51.56	49.18	47.97	49.19	49.93	50.08	47.44	---	---	---	---
3	55.12	51.81	48.87	47.83	48.78	49.99	50.21	47.17	---	---	---	---
4	55.37	51.50	48.77	47.65	48.43	49.99	49.73	47.21	---	---	---	---
5	55.26	50.42	48.85	47.54	48.22	49.97	49.71	46.92	---	---	---	---
6	55.33	49.82	48.61	47.20	48.23	49.54	49.82	46.60	---	---	---	---
7	55.62	49.89	48.33	46.89	48.46	48.92	49.99	46.71	---	---	---	---
8	55.48	50.20	48.50	47.46	48.51	48.70	49.84	46.59	---	---	---	---
9	55.44	50.24	48.61	47.86	48.89	48.56	50.66	46.50	---	---	---	---
10	55.30	50.27	48.30	48.18	49.58	48.67	50.21	46.35	---	---	---	---
11	55.14	50.07	48.19	48.42	50.65	48.59	50.08	46.32	---	---	---	---
12	54.93	49.90	48.77	48.26	50.00	48.60	49.92	46.14	---	---	---	---
13	54.87	50.16	48.85	48.31	50.18	48.77	49.87	45.69	---	---	---	---
14	54.74	50.21	48.54	48.23	49.82	48.60	49.70	45.55	---	---	---	---
15	54.60	50.24	48.46	48.10	49.11	48.75	49.75	45.57	---	---	---	---
16	54.52	50.50	48.33	48.03	48.61	48.73	49.79	45.53	---	---	---	---
17	54.43	50.80	48.43	47.97	48.35	48.02	49.90	45.43	---	---	---	---
18	54.38	49.76	48.61	47.92	48.09	49.08	49.96	45.07	---	---	---	---
19	54.18	50.26	49.58	48.13	48.04	49.24	50.12	45.08	---	---	---	---
20	53.94	50.31	49.56	47.94	48.21	49.05	50.07	45.03	---	---	---	---
21	53.81	50.10	48.66	48.03	48.34	48.96	49.91	45.40	---	---	---	---
22	53.59	49.94	48.12	48.38	48.30	48.87	49.62	45.52	---	---	---	---
23	53.44	49.93	48.15	48.73	48.13	48.79	49.81	45.41	---	---	---	---
24	53.61	49.41	48.16	48.85	48.17	49.19	49.57	45.44	---	---	---	---
25	53.38	49.62	48.03	48.90	48.28	49.95	49.50	---	---	---	---	---
26	53.06	49.91	48.05	48.95	48.37	49.88	49.46	---	---	---	---	---
27	52.84	49.34	48.30	48.95	48.42	49.92	49.57	---	---	---	---	---
28	53.10	48.99	48.14	49.08	48.65	49.86	49.38	---	---	---	---	---
29	52.89	---	48.11	49.45	48.84	50.32	49.00	---	---	---	---	---
30	52.48	---	48.04	49.41	49.08	50.56	48.28	---	---	---	---	---
31	52.47	---	48.20	---	49.23	---	48.12	---	---	---	---	---



Figure 31.--Water level in observation well 167A, Halfway, Polk County.

COUNTY--St. Charles

WELL IDENTIFICATION NUMBER--384836090420201

LOCATION--T.47N., R.3E., 29aaa, lat. 38°48'36", long. 90°40'02", building in O'Fallon City Hall parking lot.
 Owner: City of O'Fallon

FORMATIONS OPEN TO THE WELL--Plattin Formation, Joachim Dolomite, and St. Peter Sandstone.

WELL CHARACTERISTICS--Drilled September 20, 1940, total depth 833 feet, 33 feet of 10-inch casing, 375 feet of 8-inch casing, open hole.
 DGL& Log Number: 6,414

INSTRUMENTATION--Stevens model A-35 chart recorder, installed May 6, 1981.

DATUM--Elevation of land-surface datum is 565 feet, from topographic map.
 Measuring point: Base of recorder platform, 1.8 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--February 18 to December 12, 1986.

Missing record for 1986; Recorder malfunctioned for the periods June 6 to 11, July 6 to 22, July 27 to August 21, September 21 to 29, and October 12 to 24; records not available after December 11.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	231.32	228.98	233.55	240.47	253.94	---	254.86	250.37	259.58	256.32
2	---	---	232.02	228.72	234.45	241.77	252.95	---	257.44	251.42	258.94	255.30
3	---	---	231.41	228.66	234.51	243.49	253.32	---	258.96	252.29	259.11	254.13
4	---	---	230.38	228.77	234.48	244.71	254.28	---	258.21	253.64	258.21	253.33
5	---	---	230.88	228.84	234.42	243.76	252.85	---	257.75	253.17	258.06	252.84
6	---	---	230.73	229.34	234.57	---	---	---	257.12	252.60	258.43	253.19
7	---	---	229.89	228.51	233.95	---	---	---	256.41	253.47	259.61	254.69
8	---	---	230.79	226.98	234.14	---	---	---	257.39	253.75	259.95	255.38
9	---	---	231.90	226.72	234.10	---	---	---	258.02	254.26	259.11	255.37
10	---	---	231.29	227.27	234.33	---	---	---	257.61	255.43	258.96	255.63
11	---	---	230.46	227.56	235.14	---	---	---	256.53	256.79	257.84	255.55
12	---	---	230.86	227.91	234.68	245.85	---	---	255.70	---	256.94	---
13	---	---	230.41	228.25	233.67	246.07	---	---	254.21	---	256.80	---
14	---	---	230.41	227.80	234.45	246.65	---	---	253.68	---	257.29	---
15	---	---	230.73	226.32	234.82	247.10	---	---	254.75	---	256.84	---
16	---	---	230.67	225.99	235.43	246.60	---	---	253.59	---	255.53	---
17	---	---	229.95	226.69	235.80	251.72	---	---	252.80	---	255.72	---
18	---	---	229.34	227.42	237.70	252.02	---	---	252.21	---	255.76	---
19	---	234.41	230.11	226.93	238.34	251.60	---	---	250.92	---	256.87	---
20	---	235.13	230.05	226.46	239.36	251.55	---	---	249.57	---	257.15	---
21	---	235.38	229.90	226.64	241.20	252.16	---	---	---	---	256.57	---
22	---	234.58	230.52	227.51	241.98	252.04	---	255.31	---	---	257.35	---
23	---	233.45	231.27	227.94	241.37	252.73	247.86	255.75	---	---	258.26	---
24	---	233.34	231.51	229.00	241.28	254.95	248.77	254.83	---	---	258.07	---
25	---	233.71	230.61	229.82	241.79	255.59	249.03	256.42	---	259.20	257.90	---
26	---	232.23	230.95	230.73	242.46	254.58	250.27	258.18	---	258.10	256.91	---
27	---	231.56	230.76	230.41	241.99	252.76	---	258.65	---	258.16	256.84	---
28	---	231.24	230.77	229.98	241.43	251.32	---	258.88	---	258.32	255.82	---
29	---	---	230.56	228.73	241.45	254.59	---	258.37	---	258.67	255.71	---
30	---	---	230.82	231.98	240.94	254.72	---	257.08	248.97	258.80	256.50	---
31	---	---	230.32	---	240.51	---	---	255.42	---	259.55	---	---




Figure 32.--Water level in observation well 183A, O'Fallon, St. Charles County.




Figure 33.--Water level in observation well 183B, Wentzville, St. Charles County.




Figure 34.--Water level in observation well 185A, Osceola, St. Clair County.

COUNTY--Scott

WELL IDENTIFICATION NUMBER--365319089330501

LOCATION--T.26N., R.14.E., 21bab, lat. 36°53'19", long. 89°33'05", Highway Department maintenance yard, Edward Street, approximately 1 mile north of State Highway 62 intersection, Sikeston.

Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey.

FORMATIONS OPEN TO THE WELL--Alluvium

WELL CHARACTERISTICS--Drilled October 12, 1956, total depth 145 feet, 57 feet of 8-inch casing, 84.5 feet of 4-inch casing, and 4.5 feet of 4-inch well screen.

DGLS Log Number: 15,041

INSTRUMENTATION--Stevens model A-35 chart recorder installed November 1, 1956; Stevens model 7001 digital recorder, after November 6, 1980.

DATUM--Elevation of land-surface datum is 310 feet.

Measuring point: Base of recorder, 1.8 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--November 6, 1980, to present.

Missing record for 1985: Recorder clock stopped for the period June 9 to August 14.

Missing record for 1986: Records not available after January 23.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	6.86	8.93	8.02	7.99	7.43	8.87	---	---	8.88	9.54	8.64	7.25
2	7.08	8.98	8.11	8.02	7.63	8.94	---	---	8.93	9.55	8.54	7.36
3	7.26	9.02	8.18	8.11	7.81	9.01	---	---	8.97	9.56	8.51	7.46
4	7.40	9.04	8.23	8.19	7.96	9.06	---	---	9.01	9.57	8.52	7.54
5	7.53	9.06	8.30	8.23	8.08	9.10	---	---	8.98	9.59	8.54	7.61
6	7.60	9.10	8.37	8.34	8.09	9.11	---	---	8.98	9.60	8.57	7.69
7	7.68	9.15	8.42	8.44	8.18	9.14	---	---	9.03	9.62	8.62	7.75
8	7.75	9.18	8.47	8.53	8.29	9.07	---	---	9.06	9.63	8.67	7.80
9	7.81	9.20	8.48	8.59	8.36	---	---	---	9.08	9.65	8.70	7.86
10	7.88	9.12	8.50	8.66	8.44	---	---	---	9.11	9.66	8.74	7.89
11	7.98	8.70	8.51	8.72	8.51	---	---	---	9.15	9.66	8.75	7.70
12	8.06	8.63	8.59	8.77	8.57	---	---	---	9.17	9.67	8.60	7.56
13	8.12	8.63	8.60	8.62	8.53	---	---	---	9.21	9.67	8.50	7.59
14	8.19	8.68	8.56	8.50	8.61	---	---	---	9.23	9.62	8.48	7.69
15	8.28	8.73	8.63	8.58	8.67	---	---	9.28	9.25	9.58	8.47	7.76
16	8.33	8.78	8.69	8.66	8.74	---	---	9.23	9.27	9.60	8.29	7.81
17	8.38	8.80	8.75	8.75	8.80	---	---	9.26	9.30	9.62	8.22	7.86
18	8.41	8.70	8.79	8.81	8.86	---	---	9.31	9.34	9.63	8.19	7.93
19	8.47	8.63	8.84	8.87	8.93	---	---	9.31	9.37	9.63	8.18	7.96
20	8.55	8.56	8.87	8.92	8.68	---	---	9.23	9.39	9.55	8.12	8.01
21	8.59	8.49	8.83	8.96	8.42	---	---	9.27	9.41	9.51	8.09	8.05
22	8.65	8.32	8.83	8.95	8.44	---	---	9.30	9.43	9.52	8.11	8.06
23	8.69	8.01	8.88	8.93	8.53	---	---	9.23	9.45	9.47	8.16	8.09
24	8.72	7.63	8.94	8.99	8.62	---	---	8.87	9.47	9.39	8.22	8.13
25	8.77	7.58	8.98	8.65	8.71	---	---	8.63	9.47	9.37	8.25	8.18
26	8.82	7.67	8.99	7.72	8.78	---	---	8.56	9.46	9.36	8.13	8.20
27	8.84	7.84	9.01	7.59	8.85	---	---	8.55	9.49	9.37	7.56	8.25
28	8.89	7.96	9.05	7.63	8.89	---	---	8.61	9.51	9.37	7.19	8.27
29	8.92	---	8.95	7.62	8.95	---	---	8.69	9.52	9.38	7.16	8.31
30	8.94	---	8.23	7.34	9.01	---	---	8.75	9.53	9.19	7.23	8.33
31	8.89	---	8.01	---	8.85	---	---	8.81	---	8.89	---	8.36

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	8.40	---	---	---	---	---	---	---	---	---	---	---
2	8.41	---	---	---	---	---	---	---	---	---	---	---
3	8.44	---	---	---	---	---	---	---	---	---	---	---
4	8.45	---	---	---	---	---	---	---	---	---	---	---
5	8.49	---	---	---	---	---	---	---	---	---	---	---
6	8.51	---	---	---	---	---	---	---	---	---	---	---
7	8.55	---	---	---	---	---	---	---	---	---	---	---
8	8.58	---	---	---	---	---	---	---	---	---	---	---
9	8.59	---	---	---	---	---	---	---	---	---	---	---
10	8.62	---	---	---	---	---	---	---	---	---	---	---
11	8.63	---	---	---	---	---	---	---	---	---	---	---
12	8.66	---	---	---	---	---	---	---	---	---	---	---
13	8.67	---	---	---	---	---	---	---	---	---	---	---
14	8.71	---	---	---	---	---	---	---	---	---	---	---
15	8.79	---	---	---	---	---	---	---	---	---	---	---
16	8.86	---	---	---	---	---	---	---	---	---	---	---
17	8.80	---	---	---	---	---	---	---	---	---	---	---
18	8.52	---	---	---	---	---	---	---	---	---	---	---
19	8.49	---	---	---	---	---	---	---	---	---	---	---
20	8.50	---	---	---	---	---	---	---	---	---	---	---
21	8.57	---	---	---	---	---	---	---	---	---	---	---
22	8.60	---	---	---	---	---	---	---	---	---	---	---
23	8.64	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---




Figure 35.—Water level in observation well 201A, Sikeston, Scott County.

COUNTY--Shannon

WELL IDENTIFICATION NUMBER--372153091322301

LOCATION--T.31N., R.6W., 24dda, lat. 37°21'53", long. 91°32'23", approximately 1 mile southeast of Akers.
 Owner: U.S. Department of the Interior, National Park Service

FORMATIONS OPEN TO THE WELL--Eminence Dolomite and Potosi Dolomite.

WELL CHARACTERISTICS--Total depth 425 feet, cased to an unknown depth.

INSTRUMENTATION--Stevens model A-35 chart recorder, installed November 15, 1971.

DATUM--Elevation of land-surface datum is 865 feet, from topographic map.

Measuring point: Base of recorder platform, 1.8 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--December 4, 1980, to present.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	52.96	56.85	53.99	52.23	52.33	55.14	53.11	57.14	59.38	61.24	62.15	55.71
2	53.02	57.02	54.21	52.20	52.18	55.23	53.29	57.28	59.47	61.24	62.24	55.87
3	52.96	57.18	54.11	52.11	52.18	55.40	53.44	57.35	59.46	61.21	62.32	55.80
4	52.89	57.15	54.14	52.08	52.19	55.41	53.55	57.40	59.50	61.22	62.40	55.68
5	53.14	57.10	54.48	52.24	52.14	55.41	53.70	57.40	59.56	61.39	62.46	55.69
6	53.15	57.35	54.52	52.50	51.95	55.00	53.94	57.48	59.67	61.42	62.50	55.83
7	53.32	57.65	54.38	52.74	52.13	54.33	54.15	57.58	59.80	61.43	62.67	55.82
8	53.58	57.69	54.52	52.90	52.31	54.03	54.28	57.69	59.82	61.48	62.70	55.83
9	53.68	57.63	54.66	52.96	52.44	53.92	54.36	57.77	59.82	61.63	62.66	56.01
10	53.81	57.59	54.57	52.94	52.52	53.02	54.48	57.88	59.92	61.64	62.79	56.08
11	54.19	57.72	54.15	53.07	52.55	52.62	54.65	58.02	60.05	61.65	62.90	56.06
12	54.37	57.89	54.39	53.25	52.76	52.54	54.78	58.05	60.09	61.67	62.83	55.87
13	54.21	57.98	54.32	53.30	52.93	52.56	54.93	58.15	60.21	61.74	62.59	55.72
14	54.33	58.08	54.41	53.24	53.05	52.56	55.07	58.20	60.28	61.77	62.53	55.87
15	54.61	58.11	54.45	53.22	53.33	52.61	55.21	58.22	60.27	61.88	62.39	55.81
16	54.60	58.10	54.39	53.41	53.44	52.75	55.39	58.25	60.18	62.02	62.21	55.85
17	54.68	58.37	54.49	53.54	53.58	51.90	55.51	58.35	60.14	62.05	62.10	55.90
18	54.73	58.43	54.55	53.59	53.74	50.11	55.61	58.46	60.29	62.06	61.88	56.15
19	55.07	58.39	54.57	53.64	53.88	50.71	55.74	58.55	60.43	62.10	57.15	56.20
20	55.48	58.31	54.68	53.74	54.02	50.96	55.83	58.64	60.50	62.12	57.88	56.19
21	55.54	58.16	54.70	53.88	54.14	51.15	55.90	58.72	60.52	62.15	57.72	56.34
22	55.63	57.86	54.75	53.93	54.11	51.40	56.02	58.75	60.51	62.18	57.46	56.19
23	55.60	54.56	54.92	53.81	54.13	51.57	56.15	58.73	60.57	62.16	57.35	56.25
24	55.65	53.43	55.09	53.47	54.22	51.77	56.25	58.73	60.81	62.25	57.34	56.38
25	56.01	53.93	55.37	53.32	54.29	51.93	56.37	58.86	60.73	62.41	57.20	56.72
26	56.16	53.96	55.39	53.24	54.35	52.09	56.50	59.01	60.81	62.36	57.04	57.02
27	56.09	54.19	55.28	53.31	54.48	52.31	56.65	59.15	60.91	62.41	56.67	56.91
28	56.28	54.12	55.31	53.46	54.67	52.52	56.72	59.20	61.03	62.47	56.11	56.95
29	56.37	---	55.28	53.52	54.76	52.72	56.84	59.19	61.04	62.44	55.99	56.97
30	56.44	---	53.31	53.46	54.79	52.90	56.94	59.20	61.09	62.46	55.90	57.06
31	56.73	---	51.99	---	54.95	---	56.99	59.27	---	62.34	---	57.08

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	57.35	60.10	61.06	62.28	61.30	61.64	60.93	62.55	63.94	64.50	65.05	65.26
2	57.32	60.17	60.94	62.26	61.43	61.75	61.07	62.59	63.98	64.12	65.03	65.28
3	57.43	60.08	61.12	62.25	61.45	61.81	61.15	62.73	63.98	64.15	65.14	65.30
4	57.54	60.05	61.16	62.37	61.34	61.82	61.16	62.76	64.04	64.26	65.16	65.32
5	57.82	60.26	61.07	62.40	61.25	61.82	61.23	62.74	64.10	64.39	65.25	65.34
6	57.78	60.22	61.21	62.42	61.33	61.80	61.37	62.75	64.16	64.46	65.22	65.36
7	58.04	60.40	61.34	62.10	61.43	61.83	61.45	62.81	64.26	64.46	65.26	65.38
8	58.33	60.49	61.28	61.43	61.47	61.90	61.45	62.85	64.26	64.45	65.22	65.40
9	58.28	60.53	61.16	61.16	61.54	61.64	61.45	62.91	64.24	64.53	65.20	65.42
10	58.21	60.51	61.22	60.98	61.58	60.70	61.48	62.95	64.21	64.53	65.13	65.44
11	58.33	60.60	61.40	60.82	61.56	60.36	61.51	63.08	64.22	64.47	65.08	65.46
12	58.36	60.71	61.25	60.76	61.59	60.33	61.57	63.12	64.42	64.52	65.01	65.48
13	58.54	60.66	61.41	60.75	61.61	60.35	61.73	63.12	64.49	64.53	64.89	65.50
14	58.48	60.55	61.51	60.73	61.58	60.25	61.82	63.13	64.49	64.55	65.07	65.52
15	58.74	60.67	61.61	60.85	61.52	60.18	61.86	63.17	64.50	64.65	65.02	65.54
16	58.86	60.45	61.68	60.88	61.52	60.22	61.90	63.19	64.56	64.65	65.00	65.56
17	58.92	60.48	61.65	60.85	61.39	60.33	61.97	63.31	64.53	64.67	65.05	65.58
18	58.95	60.52	61.43	60.84	61.46	60.33	62.02	63.40	64.55	64.76	65.18	65.60
19	59.04	60.61	61.75	60.87	61.54	60.31	62.04	63.42	64.61	64.82	65.17	65.62
20	59.10	60.65	62.03	60.69	61.59	60.31	62.08	63.47	64.67	64.81	65.24	65.64
21	59.14	60.85	62.07	60.86	61.57	60.39	62.18	63.56	64.69	64.81	65.34	65.66
22	59.55	60.82	61.97	61.01	61.53	60.46	62.28	63.57	64.68	64.79	65.25	65.67
23	59.61	60.76	61.99	61.01	61.58	60.51	62.33	63.59	64.65	64.82	65.36	65.69
24	59.48	60.89	62.04	60.97	61.68	60.59	62.32	63.65	64.67	64.81	65.43	65.71
25	59.59	60.87	61.98	60.96	61.62	60.67	62.32	63.67	64.77	64.73	65.26	65.73
26	59.69	60.65	62.08	60.99	61.58	60.71	62.26	63.70	64.85	64.84	65.17	65.75
27	59.79	60.87	62.17	60.98	61.64	60.75	62.16	63.76	64.86	64.93	65.19	65.77
28	59.62	61.10	62.14	61.06	61.63	60.76	62.23	63.88	64.91	64.98	65.21	65.79
29	59.91	---	62.12	61.17	61.60	60.84	62.34	63.89	64.91	65.08	65.22	65.81
30	60.09	---	62.17	61.15	61.60	60.86	62.36	63.91	64.93	65.12	65.24	65.83
31	60.04	---	62.21	---	61.61	---	62.42	63.92	---	65.14	---	65.85




Figure 36.—Water level in observation well 203A, Akers, Shannon County.

COUNTY--Texas

WELL IDENTIFICATION NUMBER--371800092094501

LOCATION--T.30N., R.11W., 17dda, lat. 37°18'00", long. 92°09'45", Missouri Highway Department buildings, 0.2 miles north of Fairview, State Highway 38.

Owner: Missouri Department of Natural Resources, Division of Geology and Land Survey

FORMATIONS OPEN TO THE WELL--Cotter Dolomite, Jefferson City Dolomite, Houbourg Formation, and Gasconade Formation.

WELL CHARACTERISTICS--Drilled February 25, 1956, total depth 481 feet, 50 feet of 8-inch casing, open hole. DGLS Log Number: 14,395

INSTRUMENTATION--Stevens model A-35 chart recorder, installed February 27, 1956.

DATUM--Elevation of land-surface datum is 1,465 feet, from topographic map.
Measuring point: Base of recorder platform, 2.1 feet above land-surface datum.

PERIOD OF PROCESSED RECORD--June 8, 1983, to present.

Missing record for 1986: Recorder malfunctioned for the periods April 13 to 26 and May 30 to June 28; records not available after November 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	252.99	255.46	252.69	250.62	248.96	253.01	249.51	260.01	262.61	269.34	272.77	261.72
2	253.08	255.70	252.58	250.32	249.02	253.22	249.69	260.33	262.86	269.45	272.75	261.70
3	252.69	256.00	252.26	249.92	249.11	253.50	249.96	260.59	263.14	269.50	272.62	261.31
4	252.33	256.03	252.02	249.48	248.90	253.48	250.31	260.98	263.39	269.63	272.55	260.79
5	252.19	256.01	252.28	249.32	248.83	253.27	250.57	261.03	263.63	269.92	272.44	260.39
6	251.95	256.38	252.23	249.49	248.90	252.90	250.90	261.34	263.89	270.00	272.51	260.13
7	251.81	256.91	251.89	249.60	248.92	252.54	251.25	261.46	264.23	270.10	272.52	259.73
8	251.86	256.99	251.82	249.60	249.00	252.08	251.51	261.69	264.53	270.29	272.51	259.44
9	251.95	256.94	251.80	249.54	249.08	251.70	251.70	261.99	264.75	270.61	272.41	259.31
10	252.27	257.05	251.54	249.27	249.08	251.37	252.09	262.30	265.21	270.75	272.70	259.12
11	252.27	257.21	251.17	249.24	249.07	250.95	252.60	262.65	265.78	270.82	272.52	258.96
12	252.36	257.17	251.31	249.24	249.41	250.71	252.94	262.84	266.18	270.86	272.91	259.06
13	252.02	256.97	251.03	249.13	249.63	250.48	253.41	263.18	266.18	271.00	272.84	259.33
14	252.06	256.81	251.01	249.00	249.86	250.15	253.82	263.32	266.32	271.07	272.62	259.46
15	252.27	256.53	250.89	248.94	250.26	249.86	254.18	263.48	266.53	271.31	272.09	259.79
16	252.20	256.24	250.63	249.07	250.44	249.76	254.55	263.58	266.65	271.53	271.40	259.99
17	252.26	256.37	250.65	249.08	250.53	249.67	254.96	263.71	266.76	271.62	270.64	260.21
18	252.31	256.33	250.55	248.95	250.71	249.62	255.42	263.98	267.11	271.67	269.86	260.23
19	252.60	256.17	250.40	248.88	250.97	249.56	256.06	264.12	267.49	271.78	268.82	260.36
20	253.17	255.93	250.34	248.84	251.25	249.35	256.41	264.27	267.89	271.87	268.30	260.57
21	253.46	255.60	250.26	248.93	251.57	249.18	257.13	264.42	267.90	272.17	267.38	260.65
22	253.58	255.26	250.21	248.99	251.71	249.14	257.52	264.45	267.79	272.37	266.51	260.98
23	253.71	254.83	250.27	248.96	251.91	249.08	257.51	264.33	267.93	272.36	265.82	261.00
24	253.83	254.65	250.41	249.12	251.86	249.01	257.76	263.95	268.20	272.38	265.33	261.08
25	254.17	254.29	250.73	249.08	251.83	248.88	257.96	263.47	268.19	272.11	264.71	261.03
26	254.40	253.83	250.78	248.98	251.89	248.80	258.23	263.16	268.39	272.85	264.37	261.33
27	254.38	253.64	250.61	249.00	252.06	248.81	258.58	262.77	268.58	272.81	263.74	260.71
28	254.63	253.18	250.59	249.18	252.27	248.89	259.06	262.50	268.70	273.11	263.23	260.44
29	254.80	---	250.66	249.16	252.37	249.03	259.47	262.27	268.87	273.34	262.76	260.81
30	254.89	---	250.64	249.10	252.48	249.38	259.66	262.22	269.09	273.30	262.23	260.99
31	255.23	---	250.57	---	252.71	---	259.76	262.32	---	273.03	---	260.98

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	260.79	263.72	259.48	260.34	259.16	---	263.28	271.25	276.96	279.99	272.15	---
2	260.83	263.99	259.57	260.53	259.76	---	263.53	271.34	277.12	279.18	272.29	---
3	260.63	264.13	259.38	260.60	259.91	---	263.70	271.54	277.41	279.80	272.35	---
4	260.54	264.29	259.17	260.87	259.98	---	264.02	271.91	277.42	276.78	272.34	---
5	260.21	264.13	259.01	261.08	260.07	---	264.25	272.10	277.61	276.02	272.18	---
6	260.22	263.97	259.23	261.18	260.37	---	264.68	272.15	277.76	275.42	271.84	---
7	259.83	263.84	259.48	260.90	260.69	---	265.24	272.23	278.09	274.95	271.12	---
8	259.46	263.48	259.72	260.51	260.91	---	265.56	272.40	278.17	274.63	270.34	---
9	259.40	263.00	259.74	260.18	261.14	---	265.95	272.54	278.19	274.50	269.81	---
10	259.30	262.44	259.83	259.61	261.38	---	266.09	272.70	278.21	274.44	269.33	---
11	259.07	261.87	260.24	258.95	261.52	---	266.25	273.03	278.26	274.25	268.68	---
12	259.24	261.63	260.11	258.43	261.71	---	266.38	273.33	278.52	274.12	268.24	---
13	259.54	261.28	260.13	---	261.85	---	266.62	273.50	278.74	273.84	268.11	---
14	259.61	260.72	259.96	---	262.00	---	266.90	273.86	278.93	273.08	267.59	---
15	260.05	260.60	259.70	---	262.12	---	267.23	274.20	279.02	272.54	266.99	---
16	260.24	260.11	259.47	---	262.33	---	267.68	274.08	279.22	272.03	266.61	---
17	260.47	259.90	259.15	---	262.21	---	267.87	274.28	279.26	271.59	266.45	---
18	260.61	259.79	258.60	---	262.14	---	268.09	274.58	279.28	271.43	266.32	---
19	260.84	259.58	258.66	---	262.03	---	268.52	274.88	279.38	271.50	266.43	---
20	261.01	259.30	258.86	---	261.89	---	268.72	274.95	279.53	271.51	266.27	---
21	261.19	259.23	258.94	---	261.73	---	268.96	275.21	279.60	271.57	266.55	---
22	261.73	259.22	258.88	---	261.65	---	269.39	275.58	279.64	271.61	266.51	---
23	261.99	259.43	258.89	---	261.77	---	269.56	275.76	279.67	271.78	266.61	---
24	262.02	259.50	259.06	---	262.01	---	269.87	275.75	279.69	272.08	267.01	---
25	262.23	259.56	259.09	---	262.18	---	270.09	275.90	279.85	272.12	267.10	---
26	262.47	259.88	259.25	---	262.34	---	270.19	276.16	280.10	272.06	267.00	---
27	262.72	259.79	259.48	258.19	262.55	---	270.15	276.44	280.15	272.12	267.43	---
28	262.68	259.50	259.60	258.44	262.68	---	270.36	276.46	280.30	272.21	267.50	---
29	263.05	---	259.67	258.75	262.57	262.66	270.56	276.60	280.35	272.23	267.46	---
30	263.46	---	259.85	258.94	---	263.18	271.00	276.72	280.38	272.24	---	---
31	263.55	---	260.07	---	---	---	271.16	276.84	---	272.13	---	---




Figure 37.—Water level in observation well 215A, Fairview, Texas County.

219A-Wright City

COUNTY--Warren

WELL IDENTIFICATION NUMBER--384925091011001

LOCATION--T.47N., R.1W., 21aac, lat. 38°49'25", long. 91°01'10", in Wright City, well number 2.
 Owner: City of Wright City

FORMATIONS OPEN TO THE WELL--Kimmiswick Formation, Decorah Formation, Platin Formation, Joachim Dolomite, St. Peter Sandstone, Powell Dolomite, Jefferson City Dolomite, and Roubidoux Formation.

WELL CHARACTERISTICS--Drilled December 1, 1945, total depth 1,175 feet, 230 feet of 8-inch casing, open hole.
 DGLS Log Number: 9,024

INSTRUMENTATION--Stevens model A-35 chart recorder, installed July 29, 1981.

DATUM--Elevation of land-surface datum is 695 feet, from topographic map.
 Measuring point: Base of recorder platform, at land surface.

PERIOD OF PROCESSED RECORD--December 5, 1984, to present.

Missing record for 1985: Recorder vandalized for the period January 1 to May 13; recorder malfunctioned for the periods July 17 to 23 and October 3 to November 19; recorder clock stopped for the period December 24 to 31.

Missing record for 1986: Recorder clock stopped for the periods January 1 to February 3 and February 18 to April 23.

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1985
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	---	205.58	205.85	207.68	207.51	207.34	---	207.43
2	---	---	---	---	---	205.52	205.75	207.69	207.60	207.39	---	207.83
3	---	---	---	---	---	205.52	205.66	207.61	207.55	---	---	207.99
4	---	---	---	---	---	205.51	205.56	207.44	207.51	---	---	208.01
5	---	---	---	---	---	205.56	205.55	207.21	207.60	---	---	208.13
6	---	---	---	---	---	205.57	205.66	207.13	207.77	---	---	208.31
7	---	---	---	---	---	205.48	205.72	207.16	208.04	---	---	207.93
8	---	---	---	---	---	205.51	205.78	207.23	208.20	---	---	207.75
9	---	---	---	---	---	205.46	205.95	207.31	208.07	---	---	207.65
10	---	---	---	---	---	205.41	206.24	207.44	208.02	---	---	207.66
11	---	---	---	---	---	205.31	206.49	207.51	208.23	---	---	207.50
12	---	---	---	---	---	205.44	206.75	207.29	208.32	---	---	207.43
13	---	---	---	---	---	205.44	206.99	207.24	208.47	---	---	207.63
14	---	---	---	---	204.83	205.35	207.10	207.34	208.62	---	---	207.90
15	---	---	---	---	205.00	205.27	207.29	207.35	208.59	---	---	207.97
16	---	---	---	---	205.05	205.23	207.66	207.44	208.34	---	---	207.91
17	---	---	---	---	205.11	205.18	---	207.52	208.11	---	---	207.92
18	---	---	---	---	205.16	205.18	---	207.55	208.12	---	---	208.10
19	---	---	---	---	205.13	205.23	---	207.48	208.26	---	---	207.72
20	---	---	---	---	205.16	205.26	---	207.45	208.39	---	208.01	207.65
21	---	---	---	---	205.34	205.26	---	207.48	208.33	---	207.98	207.45
22	---	---	---	---	205.44	205.46	---	207.48	208.23	---	207.93	207.12
23	---	---	---	---	205.58	205.55	---	207.44	207.99	---	208.02	206.90
24	---	---	---	---	205.64	205.55	207.63	207.39	207.87	---	207.97	---
25	---	---	---	---	205.74	205.61	207.65	207.34	207.84	---	207.62	---
26	---	---	---	---	205.70	205.66	207.73	207.30	207.60	---	207.54	---
27	---	---	---	---	205.59	205.81	207.77	207.36	207.58	---	207.84	---
28	---	---	---	---	205.61	205.97	207.69	207.45	207.53	---	208.04	---
29	---	---	---	---	205.52	206.03	207.56	207.39	207.57	---	207.95	---
30	---	---	---	---	205.40	205.97	207.54	207.31	207.37	---	207.65	---
31	---	---	---	---	205.43	---	207.61	207.43	---	---	---	---

WATER LEVEL, IN FEET BELOW LAND SURFACE, THROUGH CALENDAR YEAR 1986
 DAILY MEAN VALUES

DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	---	---	---	---	209.69	209.80	209.87	209.67	209.52	208.54	208.59	207.15
2	---	---	---	---	209.66	209.57	209.90	209.58	209.35	208.48	208.33	207.29
3	---	---	---	---	209.63	209.40	210.40	209.58	209.20	208.44	208.04	207.48
4	---	207.66	---	---	209.59	209.84	210.28	209.48	209.28	208.55	207.91	207.62
5	---	207.40	---	---	209.56	210.09	209.97	209.37	209.37	208.63	207.83	207.51
6	---	207.56	---	---	209.58	209.95	209.87	209.35	209.44	208.59	207.83	207.31
7	---	207.58	---	---	209.63	209.73	209.73	209.28	209.47	208.51	207.73	207.06
8	---	207.61	---	---	209.66	209.95	209.43	209.18	209.30	208.57	207.89	206.91
9	---	207.68	---	---	209.77	210.05	209.47	209.15	209.20	208.73	208.06	207.15
10	---	207.59	---	---	209.76	209.74	209.50	209.15	209.16	208.64	207.88	207.01
11	---	207.47	---	---	209.79	209.48	209.47	209.19	209.19	208.50	207.88	206.98
12	---	207.20	---	---	209.50	209.55	209.24	209.19	209.49	208.57	208.06	207.27
13	---	207.28	---	---	208.99	209.72	209.05	209.06	209.71	208.47	207.93	207.07
14	---	207.80	---	---	208.56	209.75	208.88	209.01	209.65	208.55	207.59	207.05
15	---	207.83	---	---	208.61	209.89	208.72	209.09	209.58	208.60	208.15	207.13
16	---	207.70	---	---	209.08	209.96	208.62	209.09	209.56	208.50	208.80	207.29
17	---	207.78	---	---	209.05	210.01	208.57	209.15	209.40	208.59	208.74	207.27
18	---	---	---	---	209.13	209.84	208.60	209.12	209.38	208.67	208.77	207.24
19	---	---	---	---	209.16	209.73	208.37	209.09	209.43	208.58	208.34	207.15
20	---	---	---	---	208.98	209.82	208.10	209.11	209.59	208.46	208.44	206.92
21	---	---	---	---	208.89	210.00	208.05	209.23	209.51	208.45	208.25	206.94
22	---	---	---	---	209.10	210.39	208.65	209.22	209.32	208.33	208.08	207.16
23	---	---	---	---	209.55	210.30	209.31	209.28	209.21	208.44	208.23	207.40
24	---	---	---	208.90	210.01	209.33	209.76	209.31	209.00	208.44	208.16	207.43
25	---	---	---	209.06	209.91	208.63	210.16	209.26	209.05	208.36	207.90	207.41
26	---	---	---	209.44	209.56	209.00	210.34	209.29	209.05	208.46	208.11	207.49
27	---	---	---	209.67	209.37	209.95	208.63	209.45	208.98	208.49	208.05	207.54
28	---	---	---	209.83	209.45	210.33	209.12	209.58	208.88	208.55	207.77	207.71
29	---	---	---	209.92	209.66	209.91	209.34	209.70	208.70	208.73	207.58	207.63
30	---	---	---	209.69	209.79	209.57	209.72	209.91	208.57	208.74	207.38	207.66
31	---	---	---	---	209.87	---	209.72	209.84	---	208.62	---	207.72




Figure 38.—Water level in observation well 219A, Wright City, Warren County.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

March 1989

G. Tracy Mehan, III, Director

DIVISION OF GEOLOGY AND LAND SURVEY

*James H. Williams, Ph.D., Director and State Geologist

*Wallace B. Howe, Ph.D., Senior Geologist

Tami Allison, Executive Secretary

ADMINISTRATIVE SERVICES

Personnel/Fiscal Management

Carolyn Ellis, Executive I
Barbara Kennedy, Accountant I
Terry Brenner, Clerk-Typist III
Susan Davault, Clerk-Typist II

Computer Services

+Cathy Primm, B.A., Prog. Analyst III
+Vacant, Programmer I

Buildings and Grounds

Luther Fryer, Labor Supervisor
Gene Lewis, Maintenance Worker I
Carl Kuelker, Laborer I
Ellis Humphrey, Custodial Worker II

Information Services

*W. Keith Wedge, Ph.D., Chief
Arthur W. Hebrank, B.S., Geol. III
Robert H. Hansman, Ph.D., Editor
Barbara Miller, Clerk III
Dorothy Humphrey, Clerk-Typist II
Betty Harris, Clerk-Typist II

Kayla Brockman, Pub. Dist. Mgr.
Vacant, Clerk-Typist II
Gary Clark, B.S., Graphics Supvr.
Susan C. Dunn, B.F.A., Artist III
Billy G. Ross, Artist II
Phillip Streamer, Artist II

GEOLOGICAL SURVEY PROGRAM

*Jerry D. Vineyard, M.A., Program Director and Deputy State Geologist

*James A. Martin, M.S., Principal Geologist

Gregory L. Eason, M.S., Geologist III

Kim E. Haas, Geology Technician II

Sharon Krause, Clerk-Typist II

Engineering Geology

James W. Duley, B.S., Chief
James Vaughn, B.S., Soil Scien. III
David Hoffman, P.E., M.S., Geol. III
Gary St. Ivany, B.A., Geol. II
Peter Price, B.S., Geol. II
Charles Williams, B.S., Geol. II
James C. Brown, Jr., B.S., Geol. II
Mimi Garstang, B.S., Geol. II
Myrna Reiff, B.S., Geol. I
Ben Pendleton, B.S., Geol. Tech. II
Danny Sherman, Geol. Tech. I
Deborah Breuer, Clerk-Steno III

Geological Investigations

Charles E. Robertson, M.A., Chief
Thomas L. Thompson, Ph.D., Geol. IV
Eva B. Kisvarsanyi, M.S., Geol. III
John W. Whitfield, B.A., Geol. III
*David C. Smith, B.S., Geol. III
Mark Middendorf, B.S., Geol. II
James R. Palmer, B.S., Geol. II
David M. Work, B.S., Geol. II
Vacant, Chemist I
Sandra Miller, Clerk-Typist II

Economic Geology

Ira R. Satterfield, M.S., Chief
Lawrence M. Nuelle, M.S., Geol. III
Ardel W. Rueff, B.A., Geol. III
Bruce Netzler, M.S., Geol. III
Ken Deason, B.S., Geol. II
Joy L. Bostic, B.S., Geol. II
Vacant, Geologist II
Mike McFarland, B.S., Geol. II
Evan Kifer, B.S., Geol. I
Jerry Plake, Lab. Tech.
Vacant, Geol. Tech. I

Economic Geology (cont.)

Hairl Dayton, Jr., Lab. Tech.
Lois Miller, Clerk-Typist III
Rita Brasure, Clerk-Typist II

Environmental Geochemistry

W. Keith Wedge, Ph.D., Geol. IV
Mark Marikos, M.S., Geochemist

WATER RESOURCES PROGRAM

Steve McIntosh, M.S., Program Director

Groundwater Geology

Don E. Miller, M.S., Chief
James E. Vandike, M.S., Geol. III
Artney Lewis, B.S., Geol. II
Rex Bohm, B.S., Geol. II
Cynthia Endicott, B.S., Hydrologist II
Gary Penny, Eng. Tech. I
Beth Marsala, Eng. Tech. I
Edith Starbuck, Geol. Tech. I
Jerri Bixler, Geol. Tech. I
D. Jean Hale, Clerk Typist III
Deborah Elliott, Clerk-Typist I
Kathy Ragan, Clerk III

Floodplain Management

Richard Gaffney, M.A., Chief
John Drew, B.S., Hydrologist II
Leila Johnson, Clerk-Typist II

Water Use/Economics

Sarah Steelman, M.A., Chief
Jeanette Barnett, B.S., Planner I
Mary Jo Horn, Clerk-Typist II

River Basin Planning

Charles Michael, B.A., Chief
Kathy Petering, B.S., Hydrologist I

LAND SURVEY PROGRAM

Robert E. Myers, P.E., L.S., Program Director and State Land Surveyor

Norman L. Brown, P.E., L.S., Project Surveyor II
J. Michael Flowers, L.S., Project Surveyor II
Robert L. Wethington, P.E., L.S., Project Surveyor
John D. Paulsmeyer, L.S., Project Surveyor
O. Dan Lashley, L.S., Project Surveyor
+Darrell Pratte, L.S., Project Surveyor
+Bruce D. Carter, Land Survey Tech. II

Michael Lloyd, Land Survey Tech. I
Michael Cape, Eng. Tech. I
Jack C. McDermott, County Surveyor Coord.
James L. Matlock, Land Records Mgr.
Diane R. Hess, Clerk IV
Ruth Allen, Corner Registration Clerk
Bruce Wilson, B.S., Drafter I

+Richard Bates, Park Maint. Worker I
Glenda Henson, Clerk-Steno III
Linda Miller, Clerk-Typist III
Jane Lea, Clerk-Typist II
Mary Davis, Clerk II
Ruth A. Booker, Clerk-Typist I

DAM AND RESERVOIR SAFETY PROGRAM

Brian J. Swenty, P.E., Chief Engineer

Russell C. Adams, P.E., Civil Engineer
James L. Alexander, P.E., Civil Engineer

Robert A. Clay, P.E., Engineer
Ralph P. Hess, Eng. Tech. III

Marge Paulsmeyer, Clerk-Typist III